



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3120003  
SITENAME Alta Val del Monte

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> IT3120003	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Alta Val del Monte

<b>1.4 First Compilation date</b> 1995-08	<b>1.5 Update date</b> 2013-10
--	-----------------------------------

### 1.6 Respondent:

**Name/Organisation:** Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000  
**Address:** Via Guardini, 75 - 38121 TRENTO  
**Email:** uff.biotopi@provincia.tn.it

<b>Date site proposed as SCI:</b>	1995-06
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	No data
<b>National legal reference of SAC designation:</b>	No data

## 2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)





B	A104	<a href="#">bonasia</a>			p				C	DD	C	A	C	B
B	A215	<a href="#">Bubo bubo</a>			p				R	DD	C	A	C	A
B	A087	<a href="#">Buteo buteo</a>			r				P	DD	D			
B	A366	<a href="#">Carduelis cannabina</a>			r				R	DD	D			
B	A334	<a href="#">Certhia familiaris</a>			p				P	DD	C	A	C	A
B	A139	<a href="#">Charadrius morinellus</a>			c				V	DD	D			
B	A080	<a href="#">Circus gallicus</a>			c				P	DD	D			
B	A082	<a href="#">Circus cyaneus</a>			c				V	DD	D			
B	A350	<a href="#">Corvus corax</a>			p				C	DD	C	A	C	A
B	A349	<a href="#">Corvus corone</a>			p				P	DD	D			
B	A237	<a href="#">Dendrocopos major</a>			p				C	DD	C	A	C	A
B	A236	<a href="#">Dryocopus martius</a>			p				C	DD	C	A	C	A
B	A103	<a href="#">Falco peregrinus</a>			c				P	DD	D			
B	A096	<a href="#">Falco tinnunculus</a>			r				C	DD	C	A	C	A
B	A217	<a href="#">Glaucidium passerinum</a>			p				C	DD	C	A	C	A
B	A076	<a href="#">Gypaetus barbatus</a>			c				P	DD	C	A	A	A
B	A078	<a href="#">Gyps fulvus</a>			c				V	DD	D			
B	A408	<a href="#">Lagopus mutus helveticus</a>			p				C	DD	C	A	C	A
B	A074	<a href="#">Milvus milvus</a>			c				V	DD	D			
B	A280	<a href="#">Monticola saxatilis</a>			r				V	DD	D			
B	A358	<a href="#">Montifringilla nivalis</a>			p				P	DD	C	A	C	A
B	A277	<a href="#">Oenanthe oenanthe</a>			r				C	DD	C	A	C	A
B	A072	<a href="#">Pernis apivorus</a>			r				P	DD	D			
B	A017	<a href="#">Phalacrocorax carbo</a>			c				P	DD	D			
B	A274	<a href="#">Phoenicurus phoenicurus</a>			r				C	DD	C	A	C	A
B	A315	<a href="#">Phylloscopus collybita</a>			r				C	DD	C	A	C	A
B	A234	<a href="#">Picus canus</a>			p				C	DD	C	A	C	A
B	A235	<a href="#">Picus viridis</a>			p				P	DD	C	A	C	A

B	A266	<a href="#">Prunella modularis</a>			r				C	DD	C	A	C	A
B	A250	<a href="#">Ptyonoprogne rupestris</a>			r				C	DD	C	A	C	A
B	A275	<a href="#">Saxicola rubetra</a>			r				R	DD	D			
B	A332	<a href="#">Sitta europaea</a>			p				C	DD	C	A	C	A
B	A308	<a href="#">Sylvia curruca</a>			r				C	DD	C	A	C	A
B	A409	<a href="#">Tetrao tetrix tetrix</a>			p				C	DD	C	A	C	A
B	A108	<a href="#">Tetrao urogallus</a>			p				C	DD	C	A	C	A
B	A333	<a href="#">Tichodroma muraria</a>			p				P	DD	C	A	C	A
B	A285	<a href="#">Turdus philomelos</a>			r				P	DD	C	A	C	A
B	A284	<a href="#">Turdus pilaris</a>			r				P	DD	C	A	C	A
B	A282	<a href="#">Turdus torquatus</a>			r				C	DD	C	A	C	A
B	A287	<a href="#">Turdus viscivorus</a>			r				C	DD	C	A	C	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B	A324	<a href="#">Aegithalos caudatus</a>						V						X
R		<a href="#">Anguis fragilis</a>						P					X	
B	A259	<a href="#">Anthus spinoletta</a>						C						X
P		<a href="#">Arctostaphylos uva-ursi</a>						P					X	
B	A028	<a href="#">Ardea cinerea</a>						V					X	
P	1762	<a href="#">Arnica montana</a>						P		X				

A		<a href="#">Bufo bufo</a>						P					X	
M	1375	<a href="#">Capra ibex</a>						C		X				
M		<a href="#">Capreolus capreolus</a>						C					X	
B	A368	<a href="#">Carduelis flammea</a>						C						X
P		<a href="#">Carex fuliginosa</a>						R						X
P		<a href="#">Carex lachenalii</a>						R						X
M		<a href="#">Cervus elaphus</a>						C					X	
P		<a href="#">Chamorchis alpina</a>						P					X	
M		<a href="#">Chionimys nivalis</a>						P						X
P		<a href="#">Coeloglossum viride</a>						P					X	
P		<a href="#">Corallorhiza trifida</a>						P					X	
R	1283	<a href="#">Coronella austriaca</a>						P	X					
P		<a href="#">Dactylorhiza fuchsii</a>						P					X	
P		<a href="#">Dactylorhiza sambucina</a>						P					X	
P		<a href="#">Draba fladnizensis</a>						R						X
P		<a href="#">Drosera rotundifolia</a>						R						X
M		<a href="#">Eliomys quercinus</a>						P			X			
P		<a href="#">Equisetum fluviatile</a>						R						X
B	A342	<a href="#">Garrulus glandarius</a>						V						X
M		<a href="#">Glis glis</a>						C			X			
P		<a href="#">Gymnadenia conopsea</a>						P					X	
P		<a href="#">Gymnocarpium dryopteris</a>						P					X	
M	1334	<a href="#">Lepus timidus</a>						P		X				
P		<a href="#">Linnaea borealis</a>						P			X			
B	A369	<a href="#">Loxia curvirostra</a>						C						X
P		<a href="#">Lychnis flos-jovis</a>						R						X
P		<a href="#">Lycopodium annotinum</a>						P		X				

M		<a href="#">Marmota marmota</a>						P						X	
M		<a href="#">Martes foina</a>						C						X	
M	1357	<a href="#">Martes martes</a>						P		X					
M		<a href="#">Meles meles</a>						C						X	
M	1341	<a href="#">Muscardinus avellanarius</a>						C	X						
M		<a href="#">Mustela erminea</a>						P						X	
M		<a href="#">Mustela nivalis</a>						C						X	
R		<a href="#">Natrix natrix</a>						R						X	
M		<a href="#">Neomys fodiens</a>						P						X	
P		<a href="#">Nigritella rhellicani</a>						P						X	
B	A344	<a href="#">Nucifraga caryocatactes</a>						C							X
P		<a href="#">Orchis mascula</a>						P						X	
P		<a href="#">Orchis mascula subsp. signifera</a>						P						X	
I		<a href="#">Parnassius phoebus</a>						P							X
B	A327	<a href="#">Parus cristatus</a>						C							X
B	A326	<a href="#">Parus montanus</a>						C							X
B	A273	<a href="#">Phoenicurus ochruros</a>						C							X
P		<a href="#">Plantago serpentina</a>						P							X
P		<a href="#">Platanthera bifolia</a>						P						X	
P		<a href="#">Potentilla frigida</a>						R							X
B	A267	<a href="#">Prunella collaris</a>						C							X
P		<a href="#">Pseudorchis albida</a>						P						X	
B	A345	<a href="#">Pyrrhocorax graculus</a>						C							X
B	A372	<a href="#">Pyrrhula pyrrhula</a>						C							X
A	1213	<a href="#">Rana temporaria</a>						P		X					
P		<a href="#">Ranunculus trichophyllus subsp. lutulentus</a>						P							X
B	A317	<a href="#">Regulus regulus</a>						C							X

M	1369	<a href="#">Rupicapra rupicapra</a>							C		X				
P		<a href="#">Salix foetida</a>							R						X
F		<a href="#">Salmo (trutta) trutta</a>							P			X			
M		<a href="#">Sciurus vulgaris</a>							P			X			
M		<a href="#">Sorex alpinus</a>							C					X	
M		<a href="#">Sorex araneus</a>							C					X	
M		<a href="#">Sorex minutus</a>							C					X	
P		<a href="#">Taraxacum palustre</a> <a href="#">Aggreg.</a>							R						X
R		<a href="#">Vipera berus</a>							P					X	
R		<a href="#">Zootoca vivipara</a>							P			X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N06	1.0
N08	5.0
N09	1.0
N22	59.0
N17	13.0
N10	1.0
N16	1.0
N07	1.0
N11	18.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

Valle alpina di origine glaciale del versante meridionale del gruppo dell'Ortles-Cevedale, delimitata da quote che superano i 3.000 m; le foreste di conifere (abete rosso, larice e pino cembro) sono interrotte da vaste



radure pascolive di origine secondaria. I pascoli primari sono molto estesi al di sopra del limite del bosco. Sono presenti habitat di particolare interesse non compresi nell'all. I della direttiva 92/43/CEE, in particolare: *Caricion fuscae*, *Caricetalia curvulae*.

#### 4.2 Quality and importance

Esempio di solitaria e selvaggia vallata alpina, nella quale gli ecosistemi di alta quota sono praticamente intatti. Il sito è di rilevante interesse nazionale e/o provinciale per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi.

### 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

#### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
	94.0	IT00	6.0		

#### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
	Stelvio	*	
IT01	Alta Val La Mare	/	

### 6. SITE MANAGEMENT

[Back to top](#)

#### 6.1 Body(ies) responsible for the site management:

Organisation:	Consorzio Parco Nazionale dello Stelvio - Settore Trentino
Address:	Loc. Cogolo - 38020 Pejo (TN)
Email:	Dirigente.tn@stelviopark.it

#### 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes	Name: in preparazione Link: _____
<input checked="" type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

### 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

123 II NE; Carta Top 1:25000 Gauss-Boaga