



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **IT3120030**
SITENAME **Fontanazzo**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type C	1.2 Site code IT3120030
----------------------	-----------------------------------

1.3 Site name

Fontanazzo

1.4 First Compilation date 1995-07	1.5 Update date 2012-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
Address:	Via Guardini, 75 - 38121 TRENTO
Email:	uff.biotopi@provincia.tn.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2006-07
National legal reference of SPA designation	delibera Giunta Provinciale n.655 del 08.04.2005
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

11.6075

Latitude

46.01611111111111

2.2 Area [ha]:

54.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD2	Provincia Autonoma Trento
------	---------------------------

2.6 Biogeographical Region(s)

Alpine (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130B			0.01			D			
3150B			0.88			C	C	C	C
3240B			8.42			B	C	B	B
3260B			0.37			C	C	C	C
6430B			0.09			B	C	B	C
6510B			6.88			B	C	C	B
91E0B			29.25			A	C	C	C

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

--	--	--

Species		Population in the site									Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A086	Accipiter nisus			p				R	DD	C	A	C	B
B	A168	Actitis hypoleucos			r	5	5	p		G	C	B	B	B
B	A324	Aegithalos caudatus			r				C	DD	C	A	C	A
B	A229	Alcedo atthis			p	2	2	p		G	C	B	C	B
B	A052	Anas crecca			c	1	1	i		G	D			
B	A053	Anas platyrhynchos			r	15	15	p		G	C	B	C	B
B	A257	Anthus pratensis			w				C	DD	D			
B	A028	Ardea cinerea			p	20	60	i		G	C	A	C	C
I	1092	Austroptamobius pallipes			p				P	DD	D			
F	1138	Barbus meridionalis			p				C	DD	C	C	B	C
F	1137	Barbus plebejus			p				R	DD	C	B	B	B
B	A087	Buteo buteo			r				P	DD	D			
B	A364	Carduelis carduelis			p				C	DD	C	A	C	B
B	A363	Carduelis chloris			r				C	DD	C	A	C	B
B	A365	Carduelis spinus			r				C	DD	D			
B	A335	Certhia brachydactyla			p				C	DD	C	A	C	C
B	A136	Charadrius dubius			r	3	3	p		G	C	B	B	B
B	A264	Cinclus cinclus			r	2	2	p		G	C	A	C	C
B	A208	Columba palumbus			r				R	DD	D			
B	A349	Corvus corone			p				C	DD	D			
B	A347	Corvus monedula			r				C	DD	C	A	C	A
F	1163	Cottus gobio			p				C	DD	C	B	C	A
B	A212	Cuculus canorus			r				C	DD	C	A	C	C
B	A237	Dendrocopos major			p				C	DD	C	A	C	B
B	A379	Emberiza hortulana			r	2	2	p		G	C	B	A	B
B	A381	Emberiza schoeniclus			r				R	DD	C	B	A	A
B	A269	Erithacus rubecula			r				C	DD	C	A	C	A
B	A096	Falco tinnunculus			p				R	DD	D			
B	A359	Fringilla coelebs			p				C	DD	C	A	C	A
B	A123	Gallinula chloropus			r				P	DD	C	B	B	A
B	A342	Garrulus glandarius			r				C	DD	C	A	C	A
B	A022	Ixobrychus minutus			r				P	DD	C	C	C	B
F	6152	Lampetra zanandreae			p				R	DD	C	B	B	B
B	A338	Lanius collurio			r				C	DD	C	A	C	A
B	A179	Larus ridibundus			w				P	DD	D			
F	1131	Leuciscus souffia			p				R	DD	C	B	B	B
B	A271	Luscinia			r				C	DD	C	A	C	A

		megarhynchos												
B	A073	Milvus migrans			r				P	DD	D			
B	A262	Motacilla alba			r				C	DD	C	A	C	C
B	A261	Motacilla cinerea			r	7	7	p		G	D			
B	A319	Muscicapa striata			r				C	DD	C	A	C	A
B	A337	Oriolus oriolus			r				P	DD	C	B	C	C
B	A214	Otus scops			r				P	DD	C	B	A	B
B	A328	Parus ater			r				C	DD	D			
B	A329	Parus caeruleus			r				C	DD	C	A	C	A
B	A330	Parus major			r				C	DD	C	A	C	A
B	A325	Parus palustris			p				C	DD	C	A	C	C
B	A017	Phalacrocorax carbo			w	30	30	i		G	D			
B	A273	Phoenicurus ochruros			r				R	DD	C	A	C	A
B	A274	Phoenicurus phoenicurus			r				C	DD	D			
B	A315	Phylloscopus collybita			r				C	DD	C	A	C	A
B	A235	Picus viridis			p				C	DD	C	A	C	A
B	A266	Prunella modularis			w				C	DD	D			
B	A317	Regulus regulus			w				R	DD	D			
F	1107	Salmo marmoratus			p				R	DD	C	B	C	B
B	A361	Serinus serinus			r				C	DD	C	A	C	A
B	A210	Streptopelia turtur			r				R	DD	C	B	C	B
B	A219	Strix aluco			p				R	DD	C	A	C	C
B	A351	Sturnus vulgaris			r				C	DD	C	A	C	A
B	A311	Sylvia atricapilla			r				C	DD	C	A	C	A
B	A265	Troglodytes troglodytes			r				C	DD	C	A	C	A
B	A283	Turdus merula			r				C	DD	C	A	C	A
B	A285	Turdus philomelos			r				R	DD	C	A	C	A
B	A232	Upupa epops			r				R	DD	C	A	C	A
B	A142	Vanellus vanellus			w				V	DD	D			

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species	Population in the site	Motivation

Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories					
					Min	Max			C	R	V	P	IV	V	A	B
F		Alburnus alburnus alborella						R								X
F		Anguilla anguilla						R								X
R		Anguis fragilis						P						X		
I		Broscus cephalotes						R								X
A		Bufo bufo						C						X		
M		Capreolus capreolus						C						X		
P		Carex umbrosa						R								X
P		Centaurium pulchellum						R								X
P		Cerastium sylvaticum						C								X
M		Cervus elaphus						V						X		
I		Cicindela hybrida riparia						C								X
R	1284	Coluber viridiflavus						P	X							
P		Cyperus flavescens						R								X
P		Dactylorhiza fuchsii						P						X		
R	1281	Elaphe longissima						P	X							
I		Elaphrus aureus						R								X
P		Erysimum cheiranthoides						V								X
F		Esox lucius						V			X					
I	1026	Helix pomatia						R		X						
A		Hyla intermedia						C						X		
R		Lacerta bilineata						P						X		
P		Listera ovata						P						X		
P		Lysimachia nummularia						R								X
M		Meles meles						C						X		
M	1341	Muscardinus avellanarius						P	X							
R		Natrix natrix						P						X		
R	1292	Natrix tessellata						P	X							
M		Neomys anomalus						P						X		
M		Neomys fodiens						P						X		
I		Omophron limbatum						R								X
F		Orthrias barbatulus						R			X					
F		Padogobius martensii						R			X					
F		Phoxinus phoxinus						C			X					

R	1256	Podarcis muralis						P	X					
P		Polygonum hydropiper						R						X
A	1210	Rana esculenta						C		X				
A	1213	Rana temporaria						P		X				
P		Reseda lutea						P						X
A		Salamandra salamandra						C					X	
M		Sorex alpinus						R					X	
M		Sorex araneus						C					X	
M		Sorex minutus						C					X	
F	1109	Thymallus thymallus						P		X				

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N10	1.0
N09	13.0
N15	9.0
N16	59.0
N06	18.0
Total Habitat Cover	100

Other Site Characteristics

Il sito si trova in corrispondenza delle risorgive che si trovano sulla destra idrografica del Fiume Brenta nei pressi dell'abitato di Selva di Grigno. L'acqua delle risorgive scorre per un tratto in una fitta boscaglia in cui prevalgono gli ontani. L'ontaneta nella parte occidentale lascia gradualmente il posto a colture agricole (prati da fieno, campi di mais) e a boschi di robinia.

4.2 Quality and importance

Si tratta di un esempio di ontaneta di fondovalle, ambiente divenuto attualmente piuttosto raro. Il bosco umido a tratti suggestivo per la presenza di canali ormai abbandonati e completamente sommersi dalla vegetazione arborea. Si tratta di un biotopo di vitale importanza per la riproduzione di molte specie di anfibi e rettili. Il sito è inoltre di rilevante importanza per la nidificazione, la sosta e/o lo svernamento di specie di uccelli protette o in forte regresso, e/o a distribuzione localizzata sulle Alpi. Sito storico di presenza di specie di lepidottero compresa nell'allegato II, legata a siti umidi e oggi in forte declino. Presenza di invertebrati dell'allegato II che indicano buona naturalità delle acque correnti.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT05	100.0				

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	PAT - Ufficio Biotopi e Rete Natura2000
Address:	via Gardini, 75 - 38121 Trento
Email:	uff.biotopi@provincia.tn.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).