



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3120030  
SITENAME Fontanazzo

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> C	<b>1.2 Site code</b> IT3120030	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Fontanazzo

<b>1.4 First Compilation date</b> 1995-07	<b>1.5 Update date</b> 2013-10
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
<b>Address:</b>	Via Guardini, 75 - 38121 TRENTO
<b>Email:</b>	uff.biotopi@provincia.tn.it

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	2006-07
<b>National legal reference of SPA designation</b>	delibera Giunta Provinciale n.655 del 08.04.2005
<b>Date site proposed as SCI:</b>	1995-06
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	2014-03

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)
**Longitude**

11.6075

**Latitude**

46.01611111111111

**2.2 Area [ha]:**

54.0

**2.3 Marine area [%]**

0.0

**2.4 Sitelength [km]:**

0.0

### 2.5 Administrative region code and name

**NUTS level 2 code**
**Region Name**

ITD2

Provincia Autonoma Trento

### 2.6 Biogeographical Region(s)

Alpine (100.0  
%)

## 3. ECOLOGICAL INFORMATION

### 3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			0.01			D			
3150			0.88			C	C	C	C
3240			8.42			B	C	B	B
3260			0.37			C	C	C	C
6430			0.09			B	C	B	C
6510			6.88			B	C	C	B

91E0		29.25			A		C	C	C
------	--	-------	--	--	---	--	---	---	---

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Gl
B	A086	<a href="#">Accipiter nisus</a>			p				R	DD	C	A	C	B
B	A168	<a href="#">Actitis hypoleucos</a>			r	5	5	p		G	C	B	B	B
B	A324	<a href="#">Aegithalos caudatus</a>			r				C	DD	C	A	C	A
B	A229	<a href="#">Alcedo atthis</a>			p	2	2	p		G	C	B	C	B
B	A052	<a href="#">Anas crecca</a>			c	1	1	i		G	D			
B	A053	<a href="#">Anas platyrhynchos</a>			r	15	15	p		G	C	B	C	B
B	A257	<a href="#">Anthus pratensis</a>			w				C	DD	D			
B	A028	<a href="#">Ardea cinerea</a>			p	20	60	i		G	C	A	C	C
I	1092	<a href="#">Austropotamobius pallipes</a>			p				P	DD	D			
F	1138	<a href="#">Barbus meridionalis</a>			p				C	DD	C	C	B	C
F	1137	<a href="#">Barbus plebejus</a>			p				R	DD	C	B	B	B
B	A087	<a href="#">Buteo buteo</a>			r				P	DD	D			
B	A364	<a href="#">Carduelis carduelis</a>			p				C	DD	C	A	C	B
B	A363	<a href="#">Carduelis chloris</a>			r				C	DD	C	A	C	B
B	A365	<a href="#">Carduelis spinus</a>			r				C	DD	D			
B	A335	<a href="#">Certhia brachydactyla</a>			p				C	DD	C	A	C	C
B	A136	<a href="#">Charadrius dubius</a>			r	3	3	p		G	C	B	B	B
B	A264	<a href="#">Cinclus cinclus</a>			r	2	2	p		G	C	A	C	C
B	A208	<a href="#">Columba palumbus</a>			r				R	DD	D			
B	A349	<a href="#">Corvus corone</a>			p				C	DD	D			
B	A347	<a href="#">Corvus monedula</a>			r				C	DD	C	A	C	A
F	1163	<a href="#">Cottus gobio</a>			p				C	DD	C	B	C	A

B	A212	<a href="#">Cuculus canorus</a>			r					C	DD	C	A	C	C
B	A237	<a href="#">Dendrocopos major</a>			p					C	DD	C	A	C	B
B	A379	<a href="#">Emberiza hortulana</a>			r	2	2	p		G	C	C	B	A	B
B	A381	<a href="#">Emberiza schoeniclus</a>			r					R	DD	C	B	A	A
B	A269	<a href="#">Erithacus rubecula</a>			r					C	DD	C	A	C	A
B	A096	<a href="#">Falco tinnunculus</a>			p					R	DD	D			
B	A359	<a href="#">Fringilla coelebs</a>			p					C	DD	C	A	C	A
B	A123	<a href="#">Gallinula chloropus</a>			r					P	DD	C	B	B	A
B	A342	<a href="#">Garrulus glandarius</a>			r					C	DD	C	A	C	A
B	A022	<a href="#">Ixobrychus minutus</a>			r					P	DD	C	C	C	B
F	6152	<a href="#">Lampetra zanandreaei</a>			p					R	DD	C	B	B	B
B	A338	<a href="#">Lanius collurio</a>			r					C	DD	C	A	C	A
B	A179	<a href="#">Larus ridibundus</a>			w					P	DD	D			
B	A271	<a href="#">Luscinia megarhynchos</a>			r					C	DD	C	A	C	A
B	A073	<a href="#">Milvus migrans</a>			r					P	DD	D			
B	A262	<a href="#">Motacilla alba</a>			r					C	DD	C	A	C	C
B	A261	<a href="#">Motacilla cinerea</a>			r	7	7	p		G	D	D			
B	A319	<a href="#">Muscicapa striata</a>			r					C	DD	C	A	C	A
B	A337	<a href="#">Oriolus oriolus</a>			r					P	DD	C	B	C	C
B	A214	<a href="#">Otus scops</a>			r					P	DD	C	B	A	B
B	A328	<a href="#">Parus ater</a>			r					C	DD	D			
B	A329	<a href="#">Parus caeruleus</a>			r					C	DD	C	A	C	A
B	A330	<a href="#">Parus major</a>			r					C	DD	C	A	C	A
B	A325	<a href="#">Parus palustris</a>			p					C	DD	C	A	C	C
B	A017	<a href="#">Phalacrocorax carbo</a>			w	30	30	i		G	D	D			
B	A273	<a href="#">Phoenicurus ochruros</a>			r					R	DD	C	A	C	A
B	A274	<a href="#">Phoenicurus phoenicurus</a>			r					C	DD	D			
B	A315	<a href="#">Phylloscopus collybita</a>			r					C	DD	C	A	C	A
B	A235	<a href="#">Picus viridis</a>			p					C	DD	C	A	C	A
B	A266	<a href="#">Prunella modularis</a>			w					C	DD	D			
B	A317	<a href="#">Regulus regulus</a>			w					R	DD	D			
F	1107	<a href="#">Salmo marmoratus</a>			p					R	DD	C	B	C	B





A	1213	<a href="#">temporaria</a>						P		X				
P		<a href="#">Reseda lutea</a>						P						X
A		<a href="#">Salamandra salamandra</a>						C					X	
M		<a href="#">Sorex alpinus</a>						R					X	
M		<a href="#">Sorex araneus</a>						C					X	
M		<a href="#">Sorex minutus</a>						C					X	
F	1109	<a href="#">Thymallus thymallus</a>						P		X				

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N06	18.0
N10	1.0
N09	13.0
N16	59.0
N15	9.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

Il sito si trova in corrispondenza delle risorgive che si trovano sulla destra idrografica del Fiume Brenta nei pressi dell'abitato di Selva di Grigno. L'acqua delle risorgive scorre per un tratto in una fitta boscaglia in cui prevalgono gli ontani. L'ontaneta nella parte occidentale lascia gradualmente il posto a colture agricole (prati da fieno, campi di mais) e a boschi di robinia.

### 4.2 Quality and importance

Si tratta di un esempio di ontaneta di fondovalle, ambiente divenuto attualmente piuttosto raro. Il bosco umido a tratti suggestivo per la presenza di canali ormai abbandonati e completamente sommersi dalla vegetazione arborea. Si tratta di un biotopo di vitale importanza per la riproduzione di molte specie di anfibi e rettili. Il sito è inoltre di rilevante importanza per la nidificazione, la sosta e/o lo svernamento di specie di uccelli protette o in forte regresso, e/o a distribuzione localizzata sulle Alpi. Sito storico di presenza di specie di lepidottero compresa nell'allegato II, legata a siti umidi e oggi in forte declino. Presenza di invertebrati dell'allegato II che indicano buona naturalità delle acque correnti.

## 5. SITE PROTECTION STATUS (optional)

## 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT05	100.0				

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	PAT - Ufficio Biotopi e Rete Natura2000
Address:	via Guardini, 75 - 38121 Trento
Email:	uff.biotopi@provincia.tn.it

### 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes	Name: in preparazione Link: _____
<input checked="" type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

117 III, 124 IV 1:25000 Gauss-Boaga