



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3120042  
SITENAME Canneti di San Cristoforo

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> IT3120042	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Canneti di San Cristoforo

<b>1.4 First Compilation date</b> 1995-08	<b>1.5 Update date</b> 2013-10
--	-----------------------------------

### 1.6 Respondent:

**Name/Organisation:** Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000  
**Address:** Via Guardini, 75 - 38121 TRENTO  
**Email:** uff.biotopi@provincia.tn.it

<b>Date site proposed as SCI:</b>	1995-06
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	2014-03
<b>National legal reference of SAC designation:</b>	DM 28/03/2014 - G.U. 94 del 23-04-2014

## 2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude**

11.2415

**Latitude**

46.0385

**2.2 Area [ha]:**

9.39

**2.3 Marine area [%]**

0.0

**2.4 Sitelength [km]:**

0.0

**2.5 Administrative region code and name****NUTS level 2 code****Region Name**

ITD2	Provincia Autonoma Trento
------	---------------------------

**2.6 Biogeographical Region(s)**Alpine (100.0  
%)**3. ECOLOGICAL INFORMATION**[Back to top](#)**3.1 Habitat types present on the site and assessment for them**

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150			3.75			B	C	B	B
6430			0.15			B	C	B	B
6510			0.34			B	C	B	B
91E0			1.99			B	C	A	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

**3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them**

--	--	--

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Gl
B	A298	<a href="#">Acrocephalus arundinaceus</a>			r				C	DD	C	A	C	C
B	A297	<a href="#">Acrocephalus scirpaceus</a>			r				C	DD	C	A	C	C
B	A168	<a href="#">Actitis hypoleucos</a>			r				C	DD	D			
B	A229	<a href="#">Alcedo atthis</a>			r				P	DD	C	B	C	C
B	A054	<a href="#">Anas acuta</a>			c				R	DD	D			
B	A056	<a href="#">Anas clypeata</a>			c	10	10	i		G	C	B	B	C
B	A052	<a href="#">Anas crecca</a>			c	3	3	i		G	D			
B	A053	<a href="#">Anas platyrhynchos</a>			r	50	50	i		G	C	B	C	C
B	A055	<a href="#">Anas querquedula</a>			c	5	5	i		G	C	B	B	C
B	A051	<a href="#">Anas strepera</a>			c				V	DD	C	B	C	C
B	A028	<a href="#">Ardea cinerea</a>			p				P	DD	D			
B	A029	<a href="#">Ardea purpurea</a>			c				V	DD	C	B	C	C
I	1092	<a href="#">Austropotamobius pallipes</a>			p				P	DD	D			
B	A059	<a href="#">Aythya ferina</a>			w	1	126	i		G	C	B	C	A
B	A061	<a href="#">Aythya fuligula</a>			w	1	74	i		G	C	B	B	A
B	A060	<a href="#">Aythya nyroca</a>			w	1	1	i		G	C	B	C	C
B	A021	<a href="#">Botaurus stellaris</a>			w	1	3	i		G	C	B	C	B
B	A067	<a href="#">Bucephala clangula</a>			w	4	4	i		G	C	B	C	C
B	A288	<a href="#">Cettia cetti</a>			r				C	DD	C	B	B	C
B	A197	<a href="#">Chlidonias niger</a>			c	1	2	i		G	D			
B	A081	<a href="#">Circus aeruginosus</a>			c				P	DD	D			
B	A036	<a href="#">Cygnus olor</a>			p	2	2	p		G	C	B	A	B
B	A027	<a href="#">Egretta alba</a>			w	4	4	i		G	C	B	C	A
B	A026	<a href="#">Egretta garzetta</a>			c	3	3	i		G	C	B	C	B
B	A099	<a href="#">Falco subbuteo</a>			r				P	DD	D			
B	A125	<a href="#">Fulica atra</a>			r	3	100	i		G	C	B	B	A
B	A123	<a href="#">Gallinula chloropus</a>			r	1	9	i		G	C	B	C	A
B	A002	<a href="#">Gavia arctica</a>			w	2	2	i		G	C	B	C	C
B	A022	<a href="#">Ixobrychus minutus</a>			r	1	1	p		G	C	B	C	C
B	A338	<a href="#">Lanius collurio</a>			r				R	DD	D			
B	A182	<a href="#">Larus canus</a>			w	2	20	i		G	C	B	C	C
B	A179	<a href="#">Larus ridibundus</a>			w	1	120	i		G	C	B	C	C

B	A290	<a href="#">Locustella naevia</a>			c					P	DD	D				
B	A271	<a href="#">Luscinia megarhynchos</a>			r					R	DD	D				
I	1060	<a href="#">Lycaena dispar</a>			p					P	DD	D				
B	A070	<a href="#">Mergus merganser</a>			w	1	1	i			G	D				
B	A069	<a href="#">Mergus serrator</a>			w	1	1	i			G	D				
B	A073	<a href="#">Milvus migrans</a>			r					C	DD	C	B	C	B	
B	A319	<a href="#">Muscicapa striata</a>			r					R	DD	D				
B	A023	<a href="#">Nycticorax nycticorax</a>			c	1	1	i			G	D				
B	A094	<a href="#">Pandion haliaetus</a>			c					P	DD	D				
B	A017	<a href="#">Phalacrocorax carbo</a>			w	1	11	i			G	D				
B	A151	<a href="#">Philomachus pugnax</a>			c					V	DD	C	C	C	C	
B	A007	<a href="#">Podiceps auritus</a>			w	1	1	i			G	D				
B	A005	<a href="#">Podiceps cristatus</a>			r	2	60	i			G	C	B	C	B	
B	A006	<a href="#">Podiceps grisegena</a>			w	1	1	i			G	D				
B	A119	<a href="#">Porzana porzana</a>			c					P	DD	D				
B	A118	<a href="#">Rallus aquaticus</a>			r	1	10	i			G	C	B	A	B	
B	A004	<a href="#">Tachybaptus ruficollis</a>			w	1	5	i			G	C	B	B	B	

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
I		<a href="#">Aeshna grandis</a>						R						X
F		<a href="#">Alburnus alburnus alborella</a>						P						X

F		<a href="#">Anguilla anguilla</a>						P							X
R		<a href="#">Anguis fragilis</a>						P					X		
A		<a href="#">Bufo bufo</a>						C					X		
P		<a href="#">Carex riparia</a>						P							X
P		<a href="#">Ceratophyllum demersum</a>						C							X
F	2494	<a href="#">Coregonus lavaretus</a>						P		X					
M		<a href="#">Crocidura leucodon</a>						C					X		
M		<a href="#">Crocidura suaveolens</a>						C					X		
M		<a href="#">Erinaceus europaeus</a>						C					X		
F		<a href="#">Esox lucius</a>						P			X				
B		<a href="#">Larus michahellis</a>			1	5	i						X		
F		<a href="#">Lota lota</a>						P			X				
P		<a href="#">Najas marina</a>						R							X
R	1292	<a href="#">Natrix tessellata</a>						P	X						
M		<a href="#">Neomys fodiens</a>						C					X		
P		<a href="#">Nuphar luteum</a>						R							X
F		<a href="#">Padogobius martensii</a>						P			X				
P		<a href="#">Peucedanum palustre</a>						R							X
P		<a href="#">Potamogeton pectinatus</a>						R							X
P		<a href="#">Potamogeton perfoliatus</a>						R							X
A	1210	<a href="#">Rana esculenta</a>						C		X					
F		<a href="#">Rutilus erythrophthalmus</a>						P				X			
A		<a href="#">Salamandra salamandra</a>						C					X		
M		<a href="#">Sorex araneus</a>						C					X		
M		<a href="#">Sorex minutus</a>						C					X		
I		<a href="#">Stethophyma grossum</a>						R							X
I		<a href="#">Sympetrum vulgatum</a>						R							X
I		<a href="#">Xiphidion dorsalis</a>						R							X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N10	2.0
N06	40.0
N16	21.0
N09	4.0
N07	33.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

Ansa occidentale del Lago di Caldonazzo (Valsugana), con un vasto canneto; nello specchio d'acqua è presente qualche gruppo di ninfea gialla. La vegetazione delle rive è formata in prevalenza da prati umidi e ontanete a ontano nero. Sono presenti habitat di particolare interesse non compresi nell'all.I della direttiva 92/43/CEE, in particolare: Phragmition (canneti) (30%).

### 4.2 Quality and importance

Lembo di vegetazione lacustre, in particolare canneto, in un'ansa di lago eutrofico, a cui fa da cornice un'ontaneta, che però in parte è stata drenata. Il sito è inoltre di rilevante importanza per la nidificazione, la sosta e/o lo svernamento di specie di uccelli protette o in forte regresso, e/o a distribuzione localizzata sulle Alpi. Presenza storica di invertebrati dell'allegato II indicatori di zone umide integre, in forte declino. Presenza di invertebrati dell'allegato II che indicano buona naturalità delle acque correnti.

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT05	100.0				

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	PAT - Ufficio Biotopi e Rete Natura2000
Address:	via Guardini, 75 - 38121 Trento
Email:	uff.biotopi@provincia.tn.it

### 6.2 Management Plan(s):

An actual management plan does exist:

--

- Yes  
 No, but in preparation  
 No

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

132 IV SE - 132 I SO 1:25000 Gauss-Boaga