



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **IT3120093**
SITENAME **Crinale Pichea - Rocchetta**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

| | |
|----------------------|-----------------------------------|
| 1.1 Type C | 1.2 Site code IT3120093 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|----------------------------|
| Crinale Pichea - Rocchetta |
|----------------------------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1995-08 | 1.5 Update date 2012-10 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000 |
| Address: | Via Gardini, 75 - 38121 TRENTO |
| Email: | uff.biotopi@provincia.tn.it |

1.7 Site indication and designation / classification dates

| | |
|--|--|
| Date site classified as SPA: | 1998-11 |
| National legal reference of SPA designation | delibera Giunta Provinciale n.655 del 08.04.2005 |

| | |
|---|---------|
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | No data |
| National legal reference of SAC designation: | No data |

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

10.7691666666667

Latitude

45.9155555555556

2.2 Area [ha]:

1009.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|---------------------------|
| ITD2 | Provincia Autonoma Trento |
|------|---------------------------|

2.6 Biogeographical Region(s)

Alpine (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 4060 | | | 1.23 | | | C | C | B | B |
| 4070 | | | 59.03 | | | B | C | B | B |
| 6170 | | | 281.44 | | | A | C | B | B |
| 6210 | X | | 5.03 | | | A | C | A | A |
| 6210 | | | 0.75 | | | B | C | B | B |
| 6230 | | | 3.96 | | | C | C | B | B |
| 6430 | | | 0.01 | | | D | | | |
| 8120 | | | 4.95 | | | B | C | B | B |
| 8210 | | | 96.52 | | | A | C | B | A |
| 9130 | | | 342.09 | | | C | C | B | C |
| 9140 | | | 42.57 | | | A | C | A | B |
| 91K0 | | | 0.54 | | | B | C | B | A |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | Site assessment | | | | |
|---------|------|--|------------------------|----|---|------|-----|------|------|-----------------|---------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A412 | Alectoris graeca saxatilis | | | p | | | | C | DD | C | A | C | B |
| B | A091 | Aquila chrysaetos | | | p | | | | P | DD | C | A | C | C |
| P | 1902 | Cypripedium calceolus | | | p | | | | V | DD | C | B | C | C |
| B | A253 | Delichon urbica | | | c | | | | C | DD | C | A | C | A |
| B | A322 | Ficedula hypoleuca | | | c | | | | C | DD | C | A | C | A |
| B | A217 | Glaucidium passerinum | | | p | | | | P | DD | C | A | C | C |
| B | A299 | Hippolais icterina | | | c | | | | C | DD | C | A | C | A |
| B | A251 | Hirundo rustica | | | c | | | | C | DD | C | C | C | B |
| B | A338 | Lanius collurio | | | c | | | | V | DD | D | | | |
| B | A277 | Oenanthe oenanthe | | | r | | | | C | DD | C | A | C | A |
| B | A072 | Pernis apivorus | | | r | | | | P | DD | C | A | C | C |
| B | A316 | Phylloscopus trochilus | | | c | | | | P | DD | C | A | C | A |
| B | A275 | Saxicola rubetra | | | r | | | | C | DD | C | A | C | A |
| P | 1524 | Saxifraga tombeanensis | | | p | | | | R | DD | B | B | A | A |
| B | A310 | Sylvia borin | | | c | | | | P | DD | C | A | C | A |
| B | A308 | Sylvia curruca | | | r | | | | C | DD | C | A | C | A |
| B | A409 | Tetrao tetrix tetrix | | | p | | | | C | DD | C | A | B | B |
| B | A283 | Turdus merula | | | c | | | | C | DD | C | A | C | C |
| B | A285 | Turdus philomelos | | | c | | | | C | DD | C | A | C | C |
| B | A284 | Turdus pilaris | | | c | | | | C | DD | C | A | C | C |
| B | A287 | Turdus viscivorus | | | c | | | | C | DD | C | A | C | C |
| M | 1354 | Ursus arctos | | | c | | | | V | DD | D | | | |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory

species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | Population in the site | | | | Motivation | | | | | | | |
|---------|------|---|---|------------------------|------|-----|------|------------|---------------|----|------------------|---|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | | |
| | | | | | Min | Max | | | C R V P | IV | V | A | B | C | D |
| P | | Anemone narcissiflora | | | | | | P | | | | | | | X |
| P | | Anthriscus nitida | | | | | | P | | | | | | | X |
| P | | Arctostaphylos uva-ursi | | | | | | P | | | | | | X | |
| P | 1762 | Arnica montana | | | | | | P | | X | | | | | |
| A | | Bufo bufo | | | | | | P | | | | | | X | |
| P | | Bupleurum praealtum | | | | | | P | | | | | | | X |
| M | | Capreolus capreolus | | | | | | C | | | | | | X | |
| M | | Cervus elaphus | | | | | | C | | | | | | X | |
| P | | Coeloglossum viride | | | | | | P | | | | | | X | |
| R | 1284 | Coluber viridiflavus | | | | | | P | X | | | | | | |
| P | | Cyclamen purpurascens | | | | | | P | | | | | | X | |
| P | | Dactylorhiza fuchsii | | | | | | P | | | | | | X | |
| M | | Eliomys quercinus | | | | | | P | | | X | | | | |
| P | | Epipactis atrorubens | | | | | | P | | | | | | X | |
| P | | Epipactis helleborine | | | | | | P | | | | | | X | |
| P | | Festuca stenantha | | | | | | R | | | | | | | X |
| P | 1866 | Galanthus nivalis | | | | | | P | | X | | | | | |
| P | 1657 | Gentiana lutea | | | | | | P | | X | | | | | |
| M | | Glis glis | | | | | | C | | | X | | | | |
| P | | Goodyera repens | | | | | | P | | | | | | X | |
| P | | Gymnadenia conopsea | | | | | | P | | | | | | X | |
| P | | Gymnadenia odoratissima | | | | | | P | | | | | | X | |
| P | | Gymnocarpium dryopteris | | | | | | P | | | | | | X | |
| P | | Gymnocarpium | | | | | | P | | | | | | X | |

| | | | | | | | | | | | | | |
|---|------------------------------|--|--|--|--|--|---|--|--|--|--|--|---|
| R | Vipera aspis | | | | | | P | | | | | | X |
|---|------------------------------|--|--|--|--|--|---|--|--|--|--|--|---|

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|---------|
| N17 | 2.0 |
| N08 | 6.0 |
| N19 | 2.0 |
| N16 | 46.0 |
| N11 | 28.0 |
| N22 | 10.0 |
| N09 | 1.0 |
| N10 | 5.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Il sito interessa l'area di cresta della parte sud-orientale del Gruppo calcareo del Cadria: dal più dirupato ed elevato Corno di Pechea si giunge verso SE agli arrotondati profili della Cima d'Oro e della Bocca di Giumella. La vegetazione è costituita prevalentemente da praterie alpine e subalpine sui versanti a solatio e da cespuglieti subalpini digradanti in basso nella faggeta sui versanti esposti a nord. Habitat 6210 prioritario (stupenda fioritura di orchidee) con copertura dello 0,5% del Sito.

4.2 Quality and importance

Il contingente di specie endemiche è decisamente apprezzabile; è significativo inoltre che molte entità ad areale incentrato sulle Prealpi lombarde raggiungano qui il loro limite distributivo orientale. Il locus classicus di *Hypochoeris facchiniana* è compreso all'interno del sito. Valico di interesse internazionale per il transito di molte specie migratrici a medio e lungo raggio nel periodo tardo estivo e autunnale (migrazione post-riproduttiva).

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT00 | 100.0 | | | | |

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | PAT - Ufficio Biotopi e Rete Natura2000 |
| Address: | via Guardini, 75 - 38121 Trento |
| Email: | uff.biotopi@provincia.tn.it |

6.2 Management Plan(s):

An actual management plan does exist:

| |
|---|
| <input type="checkbox"/> Yes |
| <input type="checkbox"/> No, but in preparation |
| <input checked="" type="checkbox"/> No |

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 151 1:25000 Gauss-Boaga