



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE **IT3120104**  
SITENAME **Monte Baldo - Cima Valdritta**

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

[Back to top](#)

<b>1.1 Type</b> B	<b>1.2 Site code</b> IT3120104
----------------------	-----------------------------------

### 1.3 Site name

Monte Baldo - Cima Valdritta

<b>1.4 First Compilation date</b> 1995-08	<b>1.5 Update date</b> 2012-10
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
<b>Address:</b>	Via Gardini, 75 - 38121 TRENTO
<b>Email:</b>	uff.biotopi@provincia.tn.it

<b>Date site proposed as SCI:</b>	1995-06
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	No data
<b>National legal reference of SAC designation:</b>	No data

## 2. SITE LOCATION

[Back to top](#)

### 2.1 Site-centre location [decimal degrees]:

**Longitude**

10.8613888888889

**Latitude**

45.7425

### 2.2 Area [ha]:

456.0

### 2.3 Marine area [%]

0.0

### 2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

**NUTS level 2 code**

**Region Name**

ITD2	Provincia Autonoma Trento
------	---------------------------

### 2.6 Biogeographical Region(s)

Alpine (100.0%)

## 3. ECOLOGICAL INFORMATION

[Back to top](#)

### 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150			0.01			D			
4060			38.23			C	C	C	B
4070			127.53			B	C	B	B
6170			98.86			A	C	B	A
6230			18.07			B	C	B	B
7230			0.12			B	C	B	B
8120			14.5			B	C	B	B
8130			14.5			B	C	B	B
8210			8.82			A	C	A	A
9130			91.89			B	C	B	B

**PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

**NP:** in case that a habitat type no longer exists in the site enter: x (optional)

**Cover:** decimal values can be entered

**Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

**Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some

extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A223	<a href="#">Aegolius funereus</a>			p				P	DD	C	B	B	C
B	A247	<a href="#">Alauda arvensis</a>			r				C	DD	C	B	C	A
B	A109	<a href="#">Alectoris graeca</a>			p				C	DD	C	B	C	A
B	A226	<a href="#">Apus apus</a>			c				C	DD	D			
B	A091	<a href="#">Aquila chrysaetos</a>			p				P	DD	C	A	C	C
B	A221	<a href="#">Asio otus</a>			c				C	DD	D			
B	A366	<a href="#">Carduelis cannabina</a>			r				C	DD	C	A	C	A
B	A368	<a href="#">Carduelis flammea</a>			r				C	DD	C	A	C	A
B	A253	<a href="#">Delichon urbica</a>			r				C	DD	D			
B	A378	<a href="#">Emberiza cia</a>			r				C	DD	C	A	C	A
B	A376	<a href="#">Emberiza citrinella</a>			r				C	DD	C	B	C	C
I	6199	<a href="#">Euplagia quadripunctaria</a>			p				P	DD	D			
B	A076	<a href="#">Gypaetus barbatus</a>			c				P	DD	D			
B	A280	<a href="#">Monticola saxatilis</a>			r				V	DD	C	B	B	A
B	A344	<a href="#">Nucifraga caryocatactes</a>			r				C	DD	C	A	B	A
B	A277	<a href="#">Oenanthe oenanthe</a>			r				C	DD	C	A	B	A
B	A267	<a href="#">Prunella collaris</a>			p				R	DD	C	A	B	A
B	A275	<a href="#">Saxicola rubetra</a>			r				C	DD	C	A	B	A
P	1524	<a href="#">Saxifraga tombeanensis</a>			p				R	DD	C	B	A	A
B	A309	<a href="#">Sylvia communis</a>			r				R	DD	C	A	B	A
B	A308	<a href="#">Sylvia curruca</a>			r				C	DD	C	A	B	A
B	A409	<a href="#">Tetrao tetrix tetrix</a>			p				R	DD	C	B	B	A
B	A333	<a href="#">Tichodroma muraria</a>			p				R	DD	C	A	B	A
B	A287	<a href="#">Turdus viscivorus</a>			r				C	DD	C	A	C	B

**Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

**NP:** in case that a species is no longer present in the site enter: x (optional)

**Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

**Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

**Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

**Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation							
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C	R	V	P	IV	V	A
R		<a href="#">Anquis fragilis</a>						P						X	
P		<a href="#">Arctostaphylos uva-ursi</a>						P						X	
P	1762	<a href="#">Arnica montana</a>						P		X					
I		<a href="#">Broscosoma baldense</a>						R							X
A		<a href="#">Bufo bufo</a>						P						X	
P		<a href="#">Callianthemum kerneranum</a>						C			X				
I		<a href="#">Calosoma sycophanta</a>						P							X
P		<a href="#">Campanula witasekiana</a>						P							X
M		<a href="#">Capreolus capreolus</a>						C						X	
P		<a href="#">Cephalanthera longifolia</a>						P						X	
M		<a href="#">Cervus elaphus</a>						C						X	
P		<a href="#">Chamorchis alpina</a>						P						X	
P		<a href="#">Coeloglossum viride</a>						P						X	
P		<a href="#">Cyclamen purpurascens</a>						P						X	
P		<a href="#">Dactylorhiza fuchsii</a>						P						X	
P		<a href="#">Dactylorhiza sambucina</a>						P						X	
M		<a href="#">Eliomys quercinus</a>						P			X				
P		<a href="#">Epipactis atrorubens</a>						P						X	
P		<a href="#">Epipactis helleborine</a>						P						X	
P	1657	<a href="#">Gentiana lutea</a>						P		X					
M		<a href="#">Glis glis</a>						C			X				
P		<a href="#">Gymnadenia conopsea</a>						P						X	
P		<a href="#">Gymnadenia odoratissima</a>						P						X	
P		<a href="#">Gymnocarpium dryopteris</a>						P						X	
P		<a href="#">Gymnocarpium robertianum</a>						P						X	
P		<a href="#">Knutia baldensis</a>						R							X

P		<a href="#">Leontopodium alpinum</a>					P			X			
P		<a href="#">Listera ovata</a>					P					X	
P		<a href="#">Lycopodium annotinum</a>					P		X				
M		<a href="#">Marmota marmota</a>					C					X	
M		<a href="#">Martes foina</a>					C					X	
M		<a href="#">Meles meles</a>					C					X	
M	1341	<a href="#">Muscardinus avellanarius</a>					C	X					
M		<a href="#">Mustela erminea</a>					C					X	
M		<a href="#">Mustela nivalis</a>					C					X	
P		<a href="#">Neottia nidus-avis</a>					P					X	
P		<a href="#">Nigritella rhellicani</a>					P					X	
P		<a href="#">Ophrys insectifera</a>					P					X	
I	1056	<a href="#">Parnassius mnemosyne</a>					P	X					
P	1749	<a href="#">Physoplexis comosa</a>					P	X					
P		<a href="#">Platanthera bifolia</a>					P					X	
P		<a href="#">Platanthera chlorantha</a>					P					X	
P		<a href="#">Potamogeton natans</a>					P						X
P	1626	<a href="#">Primula spectabilis</a>					C	X					
P		<a href="#">Prunella laciniata</a>					P						X
P		<a href="#">Pseudorchis albida</a>					P					X	
A	1213	<a href="#">Rana temporaria</a>					P		X				
P		<a href="#">Ranunculus cassubicus</a>					R						X
M	1369	<a href="#">Rupicapra rupicapra</a>					C		X				
M		<a href="#">Sciurus vulgaris</a>					C			X			
M		<a href="#">Sorex alpinus</a>					C					X	
M		<a href="#">Sorex araneus</a>					C					X	
M		<a href="#">Sorex minutus</a>					C					X	
P	1409	<a href="#">Sphagnum sp.</a>					P		X				
P		<a href="#">Thesium pyrenaicum</a>					R						X
P		<a href="#">Traunsteinera globosa</a>					P					X	
B		<a href="#">Turdus torquatus (alpestris)</a>					C					X	
R		<a href="#">Vipera aspis</a>					P					X	

**Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

**CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

**NP:** in case that a species is no longer present in the site enter: x (optional)

**Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

**Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present

**Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N19	2.0
N22	9.0
N16	20.0
N09	4.0
N10	7.0
N06	1.0
N08	36.0
N11	21.0
<b>Total Habitat Cover</b>	100

### Other Site Characteristics

Il sito è costituito dal versante est della dirupata dorsale centrale del M. Baldo; esso è interessato in basso dalla faggeta che in alto sfuma nella mugheta e quindi nelle praterie alpine in ambiente di cresta, il tutto frammisto da limitati ma rappresentativi ambienti rupestri.

### 4.2 Quality and importance

Area notissima fin dal 1500 per l'eccezionale concentrazione di specie endemiche. Dal punto di vista vegetazionale significativa l'area di contatto tra mugheta e faggeta. Naturalità dell'area elevata. Il sito è di rilevante interesse nazionale e/o provinciale per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi. Presenza di specie forestali di invertebrati comprese nell'allegato II.

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Sindaco di Brentonico
Address:	Via Filzi, 35 - 38060 Brentonico (TN)
Email:	sindaco@comune.brentonico.it

### 6.2 Management Plan(s):

An actual management plan does exist:

- Yes  
 No, but in preparation  
 No

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 152 1:25000 Gauss-Boaga