



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3120126

SITENAME Val Noana

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

| | |
|----------------------|-----------------------------------|
| 1.1 Type C | 1.2 Site code IT3120126 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|-----------|
| Val Noana |
|-----------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1995-08 | 1.5 Update date 2012-10 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000 |
| Address: | Via Gardini, 75 - 38121 TRENTO |
| Email: | uff.biotopi@provincia.tn.it |

1.7 Site indication and designation / classification dates

| | |
|--|--|
| Date site classified as SPA: | 2007-02 |
| National legal reference of SPA designation | delibera Giunta Provinciale n.328 del 22.02.2007 |

| | |
|---|---------|
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | No data |
| National legal reference of SAC designation: | No data |

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

11.8502777777778

Latitude

46.1183333333333

2.2 Area [ha]:

730.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|---------------------------|
| ITD2 | Provincia Autonoma Trento |
|------|---------------------------|

2.6 Biogeographical Region(s)

Alpine (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 4060 | | | 0.01 | | | D | | | |
| 4070 | | | 137.2 | | | B | C | B | B |
| 6170 | | | 38.97 | | | A | C | B | B |
| 6430 | | | 0.01 | | | D | | | |
| 8120 | | | 25.3 | | | B | C | B | B |
| 8210 | | | 197.83 | | | A | C | A | A |
| 8240 | | | 0.01 | | | D | | | |
| 9130 | | | 291.14 | | | B | C | C | C |
| 9140 | | | 6.76 | | | A | C | B | B |
| 9420 | | | 26.04 | | | A | C | B | B |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | Site assessment | | | | |
|---------|------|--|------------------------|----|---|------|-----|------|------|-----------------|---------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A085 | Accipiter gentilis | | | p | | | | R | DD | D | | | |
| B | A086 | Accipiter nisus | | | p | | | | C | DD | D | | | |
| B | A223 | Aegolius funereus | | | p | | | | C | DD | C | A | C | A |
| B | A256 | Anthus trivialis | | | r | | | | C | DD | D | | | |
| B | A091 | Aquila chrysaetos | | | p | 1 | 1 | p | | G | C | A | C | A |
| B | A104 | Bonasa bonasia | | | p | | | | C | DD | C | A | C | A |
| B | A215 | Bubo bubo | | | p | 1 | 1 | p | | G | C | A | C | A |
| B | A264 | Cinclus cinclus | | | r | | | | C | DD | D | | | |
| B | A122 | Crex crex | | | r | | | | V | DD | C | B | B | A |
| P | 1902 | Cypripedium calceolus | | | p | | | | R | DD | C | B | C | C |
| B | A236 | Dryocopus martius | | | p | | | | C | DD | C | A | C | A |
| B | A217 | Glaucidium passerinum | | | p | | | | C | DD | C | A | C | A |
| B | A408 | Lagopus mutus helveticus | | | p | | | | R | DD | C | A | C | B |
| B | A358 | Montifringilla nivalis | | | p | | | | R | DD | C | A | C | A |
| B | A319 | Muscicapa striata | | | r | | | | R | DD | D | | | |
| B | A344 | Nucifraga caryocatactes | | | p | | | | C | DD | C | A | C | A |
| B | A277 | Oenanthe oenanthe | | | r | | | | C | DD | C | A | C | A |
| B | A234 | Picus canus | | | p | | | | C | DD | C | A | C | A |
| B | A267 | Prunella collaris | | | p | | | | R | DD | C | A | C | A |
| B | A308 | Sylvia curruca | | | r | | | | C | DD | C | A | C | A |
| B | A409 | Tetrao tetrix tetrix | | | p | | | | R | DD | C | A | C | A |
| B | A108 | Tetrao urogallus | | | p | | | | R | DD | C | A | C | A |
| B | A333 | Tichodroma muraria | | | p | | | | R | DD | C | A | C | A |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | Motivation | | | | | | |
|---------|------|---|---|----|------------------------|-----|------|------------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| P | | Allium victorialis | | | | | | R | | | | | | X |
| P | | Anemone narcissiflora | | | | | | R | | | | | | X |
| P | 1762 | Arnica montana | | | | | | P | | X | | | | |
| A | | Bufo bufo | | | | | | C | | | | | X | |
| P | 1750 | Campanula morettiana | | | | | | C | X | | | | | |
| P | | Carduus carduelis | | | | | | C | | | | | | X |
| P | | Coeloglossum viride | | | | | | P | | | | | X | |
| P | | Cortusa matthioli | | | | | | R | | | X | | | |
| P | | Delphinium dubium | | | | | | R | | | | | | X |
| P | | Dianthus deltoides | | | | | | R | | | | | | X |
| P | | Epipactis helleborine | | | | | | P | | | | | X | |
| P | | Festuca stenantha | | | | | | P | | | | | | X |
| P | 1657 | Gentiana lutea | | | | | | P | | X | | | | |
| M | | Glis glis | | | | | | C | | | X | | | |
| P | | Gymnadenia conopsea | | | | | | P | | | | | X | |
| P | | Gymnadenia odoratissima | | | | | | P | | | | | X | |
| P | | Gymnadenia odoratissima X Nigritella rhellicani | | | | | | P | | | | | X | |
| P | | Gymnocarpium dryopteris | | | | | | P | | | | | X | |
| P | | Leontopodium alpinum | | | | | | P | | | X | | | |
| P | | Listera cordata | | | | | | P | | | | | X | |
| P | | Listera ovata | | | | | | P | | | | | X | |
| M | 1341 | Muscardinus avellanarius | | | | | | C | X | | | | | |
| M | | Neomys fodiens | | | | | | C | | | | | X | |
| P | | Neottia nidus-avis | | | | | | P | | | | | X | |
| P | | Nigritella | | | | | | P | | | | | X | |

| | | | | | | | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|--|---|---|---|---|---|--|--|---|--|--|---|---|
| | | rhellicani | | | | | | | | | | | | | | | | | | |
| P | | Orobanche lutea | | | | | | | P | | | | | | | | | | | X |
| P | | Paederota lutea | | | | | | | R | | | | | | | | | | | X |
| P | | Phleum hirsutum | | | | | | | P | | | | | | | | | | | X |
| P | 1749 | Physoplexis comosa | | | | | | | P | X | | | | | | | | | | |
| P | | Pleurospermum austriacum | | | | | | | P | | | | | | | | | | | X |
| P | | Poa remota | | | | | | | R | | | | X | | | | | | | |
| P | | Primula tyrolensis | | | | | | | R | | | | | | | | | | | X |
| P | | Pseudorchis albida | | | | | | | P | | | | | | | X | | | | |
| A | 1213 | Rana temporaria | | | | | | | P | | X | | | | | | | | | |
| M | 1369 | Rupicapra rupicapra | | | | | | | C | | X | | | | | | | | | |
| P | | Saxifraga burserana | | | | | | | P | | | | | | | | | | | X |
| P | | Saxifraga petraea | | | | | | | R | | | | | | | | | | | X |
| M | | Sciurus vulgaris | | | | | | | C | | | X | | | | | | | | |
| P | | Sedum hispanicum | | | | | | | R | | | | | | | | | | | X |
| P | | Silene alpestris | | | | | | | R | | | | | | | | | | | X |
| P | | Silene veselskyi | | | | | | | R | | | | | | | | | | | X |
| M | | Sorex alpinus | | | | | | | C | | | | | | | | | | X | |
| M | | Sorex araneus | | | | | | | C | | | | | | | | | | | X |
| M | | Sorex minutus | | | | | | | C | | | | | | | | | | | X |
| P | | Thlaspi minimum | | | | | | | P | | | | | | | | | | | X |
| R | | Vipera berus | | | | | | | P | | | | | | | | | | X | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------|---------|
| N17 | 4.0 |
| N08 | 19.0 |
| N11 | 5.0 |

| | |
|----------------------------|------|
| N22 | 31.0 |
| N16 | 41.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Il sito occupa il versante nord delle Vette di Feltre, sulla sinistra idrografica della Val Noana. Nella parte bassa si trovano estese abetine, solcate da selvaggi valloni occupate da cespuglieti subalpini e da consorzi di alte erbe. In alto praterie alpine con rupi e ghiaioni completano il quadro del paesaggio. Sono presenti habitat di particolare interesse

4.2 Quality and importance

Area a notevole grado di naturalità, pochissimo antropizzata (è attraversata solo un sentiero poco battuto) e ricca di specie endemiche, di specie al limite occidentale del loro areale e di altre rarità floristiche. Il sito è di rilevante interesse nazionale e/o provinciale per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT00 | 100.0 | | | | |

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | PAT - Ufficio Biotopi e Rete Natura2000 |
| Address: | via Guardini, 75 - 38121 Trento |
| Email: | uff.biotopi@provincia.tn.it |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|-------------------------------------|------------------------|
| <input type="checkbox"/> | Yes |
| <input type="checkbox"/> | No, but in preparation |
| <input checked="" type="checkbox"/> | No |

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

145 1:100000 Gauss-Boaga