



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3120160

SITENAME Lagorai

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

[Back to top](#)

<b>1.1 Type</b> A	<b>1.2 Site code</b> IT3120160
----------------------	-----------------------------------

### 1.3 Site name

Lagorai
---------

<b>1.4 First Compilation date</b> 2007-07	<b>1.5 Update date</b> 2012-10
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
<b>Address:</b>	Via Gardini, 75 - 38121 TRENTO
<b>Email:</b>	uff.biotopi@provincia.tn.it

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	2007-02
<b>National legal reference of SPA designation</b>	delibera Giunta Provinciale n.328 del 22.02.2007

## 2. SITE LOCATION

[Back to top](#)

### 2.1 Site-centre location [decimal degrees]:

**Longitude**

11.6486111111111

**Latitude**

46.2294444444445

### 2.2 Area [ha]:

46191.0

### 2.3 Marine area [%]

0.0

### 2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

**NUTS level 2 code**

**Region Name**

ITD2	Provincia Autonoma Trento
------	---------------------------

### 2.6 Biogeographical Region(s)

Alpine (100.0  
%)

## 3. ECOLOGICAL INFORMATION

[Back to top](#)

### 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			36.53			B	C	B	B
3160			0.16			B	C	B	B
3220			18.69			C	C	B	B
3240			21.92			B	C	B	B
4060			5461.99			A	C	B	A
4070			378.99			A	C	A	A
6150			6821.59			A	B	A	A
6170			529.85			A	C	A	A
6210	X		2.14			B	C	B	B
6210			45.61			B	C	B	B
6230			405.7			B	C	B	B
6410			1.15			B	C	B	B
6430			2.64			B	C	B	B
6510			10.84			B	C	B	B
6520			80.84			B	C	B	B
7110			5.59			B	C	A	B

7140B		141.24				A			C	B	B
7150B		0.01				D					
7230B		20.39				C			C	C	C
7240B		2.44				C			C	B	B
8110B		2419.92				A			C	A	A
8120B		998.19				A			C	A	A
8210B		1833.16				A			C	A	A
8220B		2373.41				A			C	A	A
8230B		0.01				D					
8240B		485.91				A			C	A	A
8340B		55.72				C			C	B	B
9110B		254.73				B			C	B	B
9130B		1778.27				B			C	B	B
9180B		63.32				C			C	C	C
91D0B		5.27				A			C	A	A
91E0B		81.09				B			C	B	B
91K0B		699.76				B			C	B	B
9410B		10704.89				A			B	A	A
9420B		7035.49				A			C	A	A

**PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

**NP:** in case that a habitat type no longer exists in the site enter: x (optional)

**Cover:** decimal values can be entered

**Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

**Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site								Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	<a href="#">Accipiter gentilis</a>			p				C	DD	C	A	C	A
B	A086	<a href="#">Accipiter nisus</a>			r				C	DD	C	A	C	A
B	A324	<a href="#">Aegithalos caudatus</a>			c				C	DD	D			
B	A223	<a href="#">Aegolius funereus</a>			p				C	DD	C	A	C	A
B	A247	<a href="#">Alauda arvensis</a>			r				C	DD	C	A	C	A
B	A412	<a href="#">Alectoris graeca saxatilis</a>			p				C	DD	C	A	C	A
B	A257	<a href="#">Anthus pratensis</a>			c				C	DD	C	A	C	A
B	A259	<a href="#">Anthus spinoletta</a>			r				C	DD	C	A	C	A
B	A256	<a href="#">Anthus trivialis</a>			r				C	DD	C	A	C	A
B	A091	<a href="#">Aquila chrysaetos</a>			p				C	DD	C	A	C	A
I	1092	<a href="#">Austropotamobius pallipes</a>			p				P	DD	D			
M	1308	<a href="#">Barbastella barbastellus</a>			p				P	DD	C	A	A	A
B	A104	<a href="#">Bonasa bonasia</a>			p				C	DD	C	A	C	A



B	A315	<a href="#">collybita</a>			r				C	DD	C	A	C	A
B	A314	<a href="#">Phylloscopus sibilatrix</a>			c				R	DD	D			
B	A316	<a href="#">Phylloscopus trochilus</a>			c				C	DD	C	A	C	A
B	A241	<a href="#">Picoides tridactylus</a>			r				C	DD	C	A	B	A
B	A234	<a href="#">Picus canus</a>			p				C	DD	C	A	C	A
B	A266	<a href="#">Prunella modularis</a>			r				C	DD	C	A	C	A
B	A317	<a href="#">Regulus regulus</a>			r				C	DD	C	A	C	A
B	A275	<a href="#">Saxicola rubetra</a>			r				C	DD	C	A	C	A
B	A361	<a href="#">Serinus serinus</a>			c				R	DD	C	A	C	A
B	A311	<a href="#">Sylvia atricapilla</a>			c				R	DD	C	A	C	A
B	A310	<a href="#">Sylvia borin</a>			c				R	DD	C	A	C	A
B	A308	<a href="#">Sylvia curruca</a>			r				C	DD	C	A	C	A
B	A409	<a href="#">Tetrao tetrix tetrix</a>			p				C	DD	C	A	C	A
B	A108	<a href="#">Tetrao urogallus</a>			p				C	DD	C	A	C	A
B	A333	<a href="#">Tichodroma muraria</a>			p				C	DD	C	A	C	A
B	A265	<a href="#">Troglodytes troglodytes</a>			c				C	DD	C	A	C	A
B	A286	<a href="#">Turdus iliacus</a>			c				C	DD	C	A	C	C
B	A283	<a href="#">Turdus merula</a>			c				C	DD	C	A	C	C
B	A285	<a href="#">Turdus philomelos</a>			c				C	DD	C	A	C	C
B	A284	<a href="#">Turdus pilaris</a>			c				C	DD	C	A	C	C
B	A287	<a href="#">Turdus viscivorus</a>			c				C	DD	C	A	C	C

**Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

**NP:** in case that a species is no longer present in the site enter: x (optional)

**Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

**Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

**Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

**Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		<a href="#">Aconitum anthora</a>						R						X
I		<a href="#">Aeshna caerulea</a>						R						X
P		<a href="#">Agrostis canina</a>						R						X
P		<a href="#">Allium victorialis</a>						R						X

P		<a href="#">Alopecurus aequalis</a>						P							X
P		<a href="#">Alopecurus geniculatus</a>						P							X
P		<a href="#">Andromeda polifolia</a>						V			X				
P		<a href="#">Androsace hausmannii</a>						R							X
P		<a href="#">Androsace vandellii</a>						P			X				
P		<a href="#">Androsace wulfeniana</a>						R			X				
R		<a href="#">Anguis fragilis</a>						P						X	
P		<a href="#">Anthriscus nitida</a>						P							X
P		<a href="#">Arabis nova</a>						R							X
P		<a href="#">Arctostaphylos uva-ursi</a>						P						X	
P		<a href="#">Arenaria marschlinii</a>						R							X
P	1762	<a href="#">Arnica montana</a>						P		X					
P	1764	<a href="#">Artemisia genipi</a>						P		X					
P		<a href="#">Asplenium seelosii</a>						R							X
P		<a href="#">Barbarea stricta</a>						R							X
P		<a href="#">Blechnum spicant</a>						R							X
A		<a href="#">Bufo bufo</a>						C						X	
P		<a href="#">Callianthemum coriandrifolium</a>						R							X
P		<a href="#">Campanula caespitosa</a>						R							X
P	1750	<a href="#">Campanula morettiana</a>						C	X						
M	1375	<a href="#">Capra ibex</a>						R		X					
M		<a href="#">Capreolus capreolus</a>						C						X	
I		<a href="#">Carabus auronitens kraussi</a>						R							X
P		<a href="#">Carduus carduelis</a>						R							X
P		<a href="#">Carex bicolor</a>						R							X
P		<a href="#">Carex brizoides</a>						R							X
P		<a href="#">Carex dioica</a>						R							X
P		<a href="#">Carex limosa</a>						P							X
P		<a href="#">Carex microglochin</a>						R			X				
P		<a href="#">Carex pauciflora</a>						P			X				
P		<a href="#">Carex umbrosa</a>						R							X
P		<a href="#">Cephalanthera damasonium</a>						P						X	
P		<a href="#">Cephalanthera longifolia</a>						P						X	
P		<a href="#">Cephalanthera rubra</a>						P						X	
M		<a href="#">Cervus elaphus</a>						C						X	
P		<a href="#">Chamorchis alpina</a>						P						X	

P		<a href="#">Coeloglossum viride</a>						P						X	
P		<a href="#">Corallorhiza trifida</a>						P						X	
R	1283	<a href="#">Coronella austriaca</a>						P	X						
P		<a href="#">Cortusa matthioli</a>						R				X			
P		<a href="#">Dactylorhiza cruenta</a>						R				X			
P		<a href="#">Dactylorhiza fuchsii</a>						P						X	
P		<a href="#">Dactylorhiza majalis</a>						R						X	
P		<a href="#">Dactylorhiza sambucina</a>						P						X	
P		<a href="#">Dactylorhiza traunsteineri</a>						R						X	
P		<a href="#">Dactylorhiza traunsteineri subsp. lapponica</a>						P						X	
P		<a href="#">Diphasium complanatum</a>						V		X					
P		<a href="#">Draba dolomitica</a>						R							X
P		<a href="#">Draba fladnizensis</a>						R							X
P		<a href="#">Draba hoppeana</a>						R							X
P		<a href="#">Drosera rotundifolia</a>						R							X
M	1342	<a href="#">Dryomys nitedula</a>						P	X						
P		<a href="#">Dryopteris remota</a>						R							X
P		<a href="#">Eleocharis mamillata subsp. austriaca</a>						P							X
M		<a href="#">Eliomys quercinus</a>						C				X			
P		<a href="#">Epipactis atrorubens</a>						P						X	
P		<a href="#">Epipactis helleborine</a>						P						X	
P		<a href="#">Epipactis helleborine Aggreg.</a>						P						X	
P		<a href="#">Epipactis palustris</a>						R						X	
P		<a href="#">Epipogium aphyllum</a>						R						X	
M	1327	<a href="#">Eptesicus serotinus</a>						P	X						
P		<a href="#">Equisetum fluviatile</a>						R							X
P		<a href="#">Equisetum pratense</a>						C							X
P		<a href="#">Erigeron atticus</a>						R							X
M		<a href="#">Erinaceus europaeus</a>						C						X	
P		<a href="#">Euphrasia kernerii</a>						P							X
P		<a href="#">Festuca trichophylla</a>						R							X
P		<a href="#">Galium</a>						R							X

		<u>uliginosum</u>												
P	1657	<u>Gentiana lutea</u>					P		X					
P		<u>Gentiana pumila</u>					R							X
P		<u>Geranium argenteum</u>					R							X
M		<u>Glis glis</u>					C			X				
P		<u>Goodyera repens</u>					P						X	
P		<u>Gymnadenia conopsea</u>					P						X	
P		<u>Gymnadenia odoratissima</u>					P						X	
P		<u>Gymnadenia odoratissima X Nigritella rhellicani</u>					P						X	
P		<u>Gymnocarpium dryopteris</u>					P						X	
P		<u>Gymnocarpium robertianum</u>					P						X	
P		<u>Holcus mollis</u>					R							X
P		<u>Hymenolobus pauciflorus</u>					R							X
M		<u>Hypsugo savii</u>					P						X	
P		<u>Juncus arcticus</u>					R							X
R		<u>Lacerta bilineata</u>					P						X	
P		<u>Lappula deflexa</u>					R							X
P		<u>Leontopodium alpinum</u>					P			X				
M	1334	<u>Lepus timidus</u>					C		X					
P		<u>Listera cordata</u>					P						X	
P		<u>Listera ovata</u>					P						X	
P		<u>Lomatogonium carinthiacum</u>					R							X
I		<u>Loricera pilicornis</u>					R							X
P		<u>Lycopodiella inundata</u>					R			X				
P		<u>Lycopodium annotinum</u>					P		X					
P		<u>Lycopodium clavatum</u>					P		X					
P		<u>Malaxis monophyllos</u>					R			X				
M		<u>Marmota marmota</u>					C						X	
M		<u>Martes foina</u>					C						X	
M	1357	<u>Martes martes</u>					C		X					
M		<u>Meles meles</u>					C						X	
M	1341	<u>Muscardinus avellanarius</u>					C	X						
M		<u>Mustela erminea</u>					C						X	
M		<u>Mustela nivalis</u>					C						X	
M	1314	<u>Myotis daubentoni</u>					P	X						
M	1330	<u>Myotis mystacinus</u>					P	X						
M	1322	<u>Myotis nattereri</u>					P	X						



R		<a href="#">Natrix natrix</a>						P						X	
M		<a href="#">Neomys anomalus</a>						C						X	
M		<a href="#">Neomys fodiens</a>						C						X	
P		<a href="#">Neottia nidus-avis</a>						P						X	
P		<a href="#">Nigritella miniata</a>						P						X	
P		<a href="#">Nigritella nigra</a>						P						X	
P		<a href="#">Nigritella rhellicani</a>						P						X	
M	1312	<a href="#">Nyctalus noctula</a>						P	X						
P		<a href="#">Ophrys insectifera</a>						P						X	
P		<a href="#">Orchis mascula</a>						P						X	
P		<a href="#">Orchis tridentata</a>						P						X	
P		<a href="#">Orchis ustulata</a>						P						X	
P		<a href="#">Orobanche flava</a>						R							X
P		<a href="#">Paederota lutea</a>						R							X
I	1057	<a href="#">Parnassius apollo</a>						R	X						
I	1056	<a href="#">Parnassius mnemosyne</a>						R	X						
P		<a href="#">Pedicularis palustris</a>						R							X
F		<a href="#">Phoxinus phoxinus</a>						P				X			
P	1749	<a href="#">Physoplexis comosa</a>						P	X						
M	1309	<a href="#">Pipistrellus pipistrellus</a>						P	X						
P		<a href="#">Plantago serpentina</a>						P							X
P		<a href="#">Platanthera bifolia</a>						P						X	
P		<a href="#">Platanthera chlorantha</a>						P						X	
M	1326	<a href="#">Plecotus auritus</a>						P	X						
P		<a href="#">Pleurospermum austriacum</a>						R							X
P		<a href="#">Poa hybrida</a>						P							X
P		<a href="#">Poa remota</a>						R				X			
R	1256	<a href="#">Podarcis muralis</a>						P	X						
P		<a href="#">Polygonum amphibium</a>						P							X
P		<a href="#">Potamogeton alpinus</a>						R							X
P		<a href="#">Potamogeton praelongus</a>						R							X
P		<a href="#">Potentilla palustris</a>						R				X			
P		<a href="#">Primula tyrolensis</a>						R							X
P		<a href="#">Prunus padus</a>						P							X
P		<a href="#">Pseudorchis albida</a>						P						X	
A	1213	<a href="#">Rana temporaria</a>						C		X					

P		<a href="#">Ranunculus reptans</a>						R						X
P		<a href="#">Ranunculus trichophyllus subsp. lutulentus</a>						R						X
P		<a href="#">Reseda lutea</a>						P						X
P		<a href="#">Rhizobotrya alpina</a>						R			X			
P		<a href="#">Rubus nessensis</a>						R						X
M	1369	<a href="#">Rupicapra rupicapra</a>						C		X				
A	1177	<a href="#">Salamandra atra</a>						C	X					
A		<a href="#">Salamandra salamandra</a>						C					X	
P		<a href="#">Salix daphnoides</a>						R						X
P		<a href="#">Salix glaucosericea</a>						R						X
P		<a href="#">Salix mielichhoferi</a>						P			X			
P		<a href="#">Salix pentandra</a>						R			X			
F		<a href="#">Salmo (trutta) trutta</a>						P			X			
F		<a href="#">Salvelinus alpinus</a>						P			X			
P		<a href="#">Saussurea alpina</a>						R						X
P		<a href="#">Saxifraga burserana</a>						R						X
P		<a href="#">Saxifraga cernua</a>						R						X
P		<a href="#">Saxifraga depressa</a>						R			X			
P		<a href="#">Saxifraga facchinii</a>						R			X			
P		<a href="#">Scheuchzeria palustris</a>						R			X			
P		<a href="#">Schoenus ferrugineus</a>						R			X			
P		<a href="#">Scilla bifolia</a>						R						X
M		<a href="#">Sciurus vulgaris</a>						C			X			
P		<a href="#">Sesleria ovata</a>						R						X
P		<a href="#">Silene alpestris</a>						R						X
I		<a href="#">Somatochlora alpestris</a>						R						X
M		<a href="#">Sorex alpinus</a>						C					X	
M		<a href="#">Sorex araneus</a>						C					X	
M		<a href="#">Sorex minutus</a>						C					X	
P		<a href="#">Sparganium angustifolium</a>						R			X			
P		<a href="#">Sparganium emersum</a>						R						X
P		<a href="#">Spergula arvensis</a>						P						X
P	1409	<a href="#">Sphagnum sp.</a>						P		X				
P		<a href="#">Stellaria longifolia</a>						R			X			
M		<a href="#">Taraxacum cucullatum</a>						R						X

		<u>Aggreg.</u>												
P		<u>Taraxacum palustre Aggreg.</u>												X
P		<u>Thalictrum foetidum</u>												X
P		<u>Thlaspi praecox</u>												X
P		<u>Tozzia alpina</u>												X
P		<u>Traunsteinera globosa</u>											X	
A		<u>Triturus alpestris</u>											X	
B		<u>Turdus torquatus (alpestris)</u>											X	
P		<u>Vaccinium microcarpum</u>									X			
P		<u>Vicia dumetorum</u>												X
R		<u>Vipera aspis</u>											X	
R		<u>Vipera berus</u>											X	
P		<u>Woodsia pulchella</u>												X
R		<u>Zootoca vivipara</u>									X			

**Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

**CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

**NP:** in case that a species is no longer present in the site enter: x (optional)

**Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

**Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present

**Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N09	1.0
N22	21.0
N08	13.0
N16	7.0
N07	1.0
N10	1.0
N11	16.0
N17	39.0
N06	1.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

La catena montuosa dei Lagorai, situata nelle Alpi centrali, rappresenta una delle zone meno antropizzate dell'intero arco alpino. Il perimetro della ZPS include una vasta area compresa tra la Val di Fiemme e la Valsugana, il Parco Naturale Paneveggio-Pale di San Martino (suddiviso in 6 SIC) e altri 7 SIC: Valle del

Vanoi, Val Campelle, Passo del Brocon, Val Cadino, Zona umida di Valfloriana, lago delle Buse e Catena di Lagorai. L'area è particolarmente variegata sia dal punto di vista meramente geologico che geografico-ambientale. La parte più rilevante della ZPS è costituita dal massiccio porfirico del Lagorai costituita da un susseguirsi di crinali e vette, con vasti ambienti rupestri e praterie d'altitudine. La parte più orientale comprende i rilievi calcareo-marnosi della Costazza-Castellazzo e il complesso dolomitico delle Pale di S.Martino, caratterizzato da un altipiano glaciocarsico elevato che precipita con guglie e dirupi verso la Valle del Cismon e la Val Canali. Sono inoltre comprese nella Zps, la catena porfirica tra il Passo Valles e il Passo Lusia, l'alto bacino del torrente Travignolo e, a Sud, il complesso granitico della Cima d'Asta. Habitat 6210 prioritario (stupenda fioritura di orchidee) presente solo in tracce.

## 4.2 Quality and importance

Ambiente ad elevata naturalità. Include foreste, praterie montane, ambienti rocciosi d'alta quota e varie tipologie di zone umide. Sono presenti notevoli rarità floristiche ed endemismi cui si somma la presenza di aspetti vegetazionali di eccezionale pregio (ad es. la comunità delle sorgenti glaciali su detrito dolomitico raggiunge qui l'estremo limite sud-orientale del suo areale alpino). Sono stati censiti in quest'area ben 35 habitat di interesse comunitario (su 57 reperiti nell'intera provincia). Nel Vanoi e in Val Campelle sono presenti foreste di abete bianco, di notevole interesse, essendo la specie in regresso sull'arco alpino. Il sito è di rilevante interesse per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi. Tra le specie faunistiche presenti troviamo il camoscio, il Capriolo, la Marmotta, la Lepre variabile, la Volpe, Martora, Ermellino. Tra gli uccelli, notevole la ricchezza in galliformi: Gallo cedrone, Gallo Forcello, Pernice bianca, Francolino, Coturnice. L'aquila reale è nidificante, accidentale il Gipeto. Buona la presenza di rapaci diurni e notturni. Da notare la presenza di specie al margine occidentale del loro areale come il picchio tridattilo e la salamandra nera. Presenza di invertebrati compresi nell'allegato II, indicatori di boschi con elevato grado di naturalità.

## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	62.0	IT04	38.0		

### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT00	Val Cadino	+	
IT04	Lagorai Orientale	*	
IT05	Lago delle Buse	+	
IT04	Foresta di Paneveggio	*	
IT05	Zona Umida Valfloriana	+	
IT04	Palu' dei Mugheri	+	
IT00	Catena di Lagorai	+	
IT00	Val Campelle	+	
IT05	Palu' dei Mugheri	+	
IT04	Pale di San Martino	*	
IT04	Val Venegia	*	
IT00	Passo del Brocon	+	
IT00	Valle del Vanoi	+	
IT04	Cima Bocche - Lusia	*	

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

Organisation:	PAT - Ufficio Biotopi e Rete Natura2000
Address:	via Gardini, 75 - 38121 Trento
Email:	uff.biotopi@provincia.tn.it

## 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 149 1:25000 Gauss-Boaga