



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **IT3120173**
SITENAME **Monte Baldo di Brentonico**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type B	1.2 Site code IT3120173
----------------------	-----------------------------------

1.3 Site name

Monte Baldo di Brentonico

1.4 First Compilation date 2010-09	1.5 Update date 2012-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
Address: Via Gardini, 75 - 38121 TRENTO
Email: uff.biotopi@provincia.tn.it

Date site proposed as SCI:	2010-10
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

10.9025

Latitude

45.8166666666667

2.2 Area [ha]:

2120.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD2	Provincia Autonoma Trento
------	---------------------------

2.6 Biogeographical Region(s)

Alpine (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4060B			146.08			B	C	B	B
4070B			67.35			A	C	B	B
6170B			371.42			A	C	B	A
6230B			22.98			B	C	B	B
6430B			7.0			B	C	B	B
6510B			75.84			B	C	B	B
6520B			19.02			B	C	B	B
7230B			0.85			B	C	C	B
8120B			0.01			D			
8130B			23.74			B	C	B	B
8210B			21.9			A	C	A	A
8310B			0.01			D			
9130B			662.05			B	C	C	B
91K0B			122.1			B	B	B	B
9410B			148.51			C	C	C	C

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species				Population in the site							Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	Accipiter gentilis			p				P	DD	D			
B	A086	Accipiter nisus			p				C	DD	D			
B	A223	Aegolius funereus			p				P	DD	C	B	C	C
B	A247	Alauda arvensis			r				C	DD	C	A	C	B
B	A109	Alectoris graeca			p				C	DD	C	B	C	A
B	A256	Anthus trivialis			r				C	DD	C	A	C	A
B	A228	Apus melba			c				P	DD	D			
B	A091	Aquila chrysaetos			p				C	DD	D			
B	A221	Asio otus			c				C	DD	D			
A	1193	Bombina variegata			p				P	DD	C	B	C	C
B	A104	Bonasa bonasia			p				R	DD	C	A	B	B
B	A087	Buteo buteo			p				P	DD	D			
B	A224	Caprimulgus europaeus			c				C	DD	C	C	C	C
B	A366	Carduelis cannabina			r				C	DD	C	A	C	A
B	A368	Carduelis flammea			r				C	DD	C	A	C	A
I	1088	Cerambyx cerdo			p				P	DD	D			
B	A334	Certhia familiaris			r				C	DD	D			
B	A080	Circaetus gallicus			r				P	DD	C	A	B	C
B	A081	Circus aeruginosus			c				P	DD	C	B	C	B
B	A113	Coturnix coturnix			r				C	DD	C	A	C	A
B	A122	Crex crex			c				P	DD	C	A	A	B
P	1902	Cypripedium calceolus			p				V	DD	C	B	C	C
B	A253	Delichon urbica			r				C	DD	C	A	C	A
B	A236	Dryocopus martius			p				C	DD	C	A	C	C

B	A378	Emberiza cia			r				C	DD	D			
B	A376	Emberiza citrinella			r				C	DD	C	A	C	B
B	A379	Emberiza hortulana			c				P	DD	C	B	C	B
B	A099	Falco subbuteo			c				V	DD	C	B	C	B
B	A096	Falco tinnunculus			r				C	DD	C	A	C	C
B	A322	Ficedula hypoleuca			c				C	DD	C	A	C	B
B	A251	Hirundo rustica			r				C	DD	C	A	C	B
B	A233	Jynx torquilla			r				C	DD	D			
B	A338	Lanius collurio			r				R	DD	C	C	C	C
I	1083	Lucanus cervus			p				P	DD	D			
B	A073	Milvus migrans			r				P	DD	D			
B	A280	Monticola saxatilis			r				V	DD	C	B	C	C
B	A319	Muscicapa striata			r				C	DD	D			
M	1323	Myotis bechsteinii			p				P	DD	C	A	A	A
M	1307	Myotis blythii			p				P	DD	C	A	A	A
M	1316	Myotis capaccinii			p				P	DD	C	A	A	A
M	1324	Myotis myotis			p				P	DD	C	A	A	A
B	A344	Nucifraga caryocatactes			p				C	DD	C	A	B	A
B	A277	Oenanthe oenanthe			r				C	DD	C	A	C	A
B	A072	Pernis apivorus			c				C	DD	C	A	C	B
B	A274	Phoenicurus phoenicurus			c				C	DD	C	A	C	A
B	A313	Phylloscopus bonelli			c				R	DD	D			
B	A314	Phylloscopus sibilatrix			c				R	DD	D			
B	A316	Phylloscopus trochilus			c				C	DD	C	A	C	A
B	A235	Picus viridis			p				C	DD	D			
B	A345	Pyrrhocorax graculus			p				C	DD	C	A	B	A
M	1303	Rhinolophus hipposideros			p				P	DD	C	A	A	A
B	A275	Saxicola rubetra			r				C	DD	C	A	C	A
B	A276	Saxicola torquata			r				R	DD	D			
P	1524	Saxifraga tombeanensis			p				R	DD	B	A	B	A
B	A155	Scolopax rusticola			r				C	DD	C	A	C	C
B	A210	Streptopelia turtur			c				V	DD	D			
B	A219	Strix aluco			p				P	DD	D			
B	A310	Sylvia borin			c				R	DD	C	A	C	A

B	A309	Sylvia communis			r				R	DD	C	A	B	A
B	A308	Sylvia curruca			r				C	DD	C	A	C	A
B	A409	Tetrao tetrix tetrix			p				P	DD	C	A	B	A
B	A108	Tetrao urogallus			p				V	DD	C	C	A	A
B	A333	Tichodroma muraria			p				P	DD	D			
B	A286	Turdus iliacus			c				C	DD	C	A	C	C
B	A283	Turdus merula			r				C	DD	C	A	C	C
B	A285	Turdus philomelos			c				C	DD	D			
B	A287	Turdus viscivorus			r				C	DD	C	C	C	C

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R		Anguis fragilis						P					X	
P		Arabis nova						R						X
P		Arctostaphylos uva-ursi						P					X	
P	1762	Arnica montana						P		X				
P		Asperugo procumbens						R						X
I		Broscosoma baldense						R						X
A		Bufo bufo						C					X	
P		Callianthemum kerneranum						R			X			
I		Calosoma sycophanta						R						X
P		Campanula witasekiana						P						X
M		Capreolus capreolus						C					X	
P		Carex diandra						R			X			
P		Carex juncella						R			X			

P		Cephalanthera damasonium						P					X	
P		Cephalanthera longifolia						P					X	
M		Cervus elaphus						C					X	
P		Chamorchis alpina						P					X	
P		Chenopodium foliosum						R						X
P		Coeloglossum viride						P					X	
P		Conium maculatum						R						X
P		Cyclamen purpurascens						P					X	
P		Dactylorhiza fuchsii						P					X	
P		Dactylorhiza incarnata						R					X	
P		Dactylorhiza sambucina						P					X	
P		Dactylorhiza traunsteineri						R					X	
M		Eliomys quercinus						C			X			
P		Epipactis atrorubens						P					X	
P		Epipactis helleborine						P					X	
P		Epipactis muelleri						P					X	
P		Epipactis palustris						R					X	
M	1313	Eptesicus nilssoni						P	X					
P		Festuca trichophylla						P						X
P		Gagea minima						R						X
P	1657	Gentiana lutea						P		X				
P		Geranium argenteum						R						X
M		Glis glis						C			X			
P		Goodyera repens						P					X	
P		Gymnadenia conopsea						P					X	
P		Gymnadenia odoratissima						P					X	
P		Gymnocarpium dryopteris						P					X	
P		Gymnocarpium robertianum						P					X	
P		Herminium monorchis						P					X	
P		Hyoscyamus niger						R						X
P		Knautia baldensis						R						X
R		Lacerta bilineata						P					X	
P		Leontopodium alpinum						P			X			

N17	12.0
Total Habitat Cover	100

Other Site Characteristics

Il sito interessa il tratto più settentrionale della catena calcarea del Monte Baldo (M. Altissimo). La parte bassa del M. Altissimo è coperta da estese faggete cui si intercalano ampie distese di pascoli pingui (sul versante settentrionale sono diffusi l'abete rosso e bianco). In alto si trovano praterie alpine, vaste distese di cespuglieti subalpini (ontanete e mughete) ed ambienti rupestri. Nella zona ad Est si nota un caratteristico rilievo calcareo, sito nella fascia alto-montana-subalpina, con ultimi lembi di faggeta che lasciano il posto ai cespuglieti subalpini e soprattutto a pascoli pingui, inframmezzati da ambienti rupestri.

4.2 Quality and importance

Il paesaggio vegetale attuale è un felice equilibrio tra naturalità ed attività silvo-pastorali dell'uomo. Eccezionale la presenza di specie endemiche in un ambiente paesaggisticamente pregevole. Il sito è di rilevante interesse nazionale e/o provinciale per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi nonché per la presenza di invertebrati legati a boschi in buone condizioni di naturalità. Un discreto contingente di specie endemiche e la notevole variabilità ambientale - unita ad una facile accessibilità - rendono in particolare l'area di Cornapiana del tutto idonea ad un utilizzo di tipo didattico. Area di interesse internazionale per il transito di molte specie migratrici a medio e lungo raggio nel periodo tardo estivo e autunnale (migrazione post-riproduttiva).

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	98.0	IT05	2.0		

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Sindaco di Brentonico
Address:	Via Filzi, 35 - 38060 Brentonico (TN)
Email:	sindaco@comune.brentonico.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 150 1:25000 Gauss-Boaga