



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **IT3120177**
SITENAME **Dolomiti di Brenta**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

1.1 Type B	1.2 Site code IT3120177
----------------------	-----------------------------------

1.3 Site name

Dolomiti di Brenta

1.4 First Compilation date 2010-09	1.5 Update date 2012-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
Address:	Via Gardini, 75 - 38121 TRENTO
Email:	uff.biotopi@provincia.tn.it

Date site proposed as SCI:	2010-10
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

10.91

Latitude

46.1941666666667

2.2 Area [ha]:

31132.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD2	Provincia Autonoma Trento
------	---------------------------

2.6 Biogeographical Region(s)

Alpine (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			4.94			B	C	B	B
3140			37.34			B	C	B	B
3220			16.64			B	C	B	B
3240			2.03			B	C	B	B
4060			264.84			A	C	A	B
4070			2516.84			A	B	A	A
4080			0.75			B	C	B	B
5130			0.01			D			
6150			1.59			B	C	B	B
6170			5606.32			A	C	A	B
6210			107.97			B	C	C	B
6210	X		35.96			B	C	B	B
6230			151.12			B	C	B	B
6430			0.95			A	C	A	B
6510			2.17			B	B	B	B
6520			60.98			B	B	B	B

7110B			0.94					B		C	B	B
7140B			1.06					B		C	B	B
7220B			0.14					B		C	B	B
7230B			1.49					B		C	B	B
8120B			3073.71					A		B	A	A
8130B			25.59					A		B	A	B
8210B			6130.1					A		C	A	A
8240B			35.84					B		C	B	B
8340B			121.03					A		C	A	A
9110B			20.21					B		B	B	B
9130B			5546.51					B		C	B	B
9140B			17.03					B		C	B	B
9150B			1546.6					B		C	B	B
9180B			20.39					B		C	B	B
91D0B			0.55					B		C	B	B
91E0B			14.35					C		C	C	B
91H0B			0.01					D				
9410B			2366.84					B		C	C	B
9420B			1380.75					B		C	B	B

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site								Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	Accipiter gentilis			p				C	DD	C	A	C	A
B	A086	Accipiter nisus			r				C	DD	C	A	C	A
B	A223	Aegolius funereus			p				C	DD	C	A	C	A
B	A247	Alauda arvensis			r				C	DD	C	A	C	A
B	A412	Alectoris graeca saxatilis			p				C	DD	C	A	C	A
B	A259	Anthus spinoletta			r				P	DD	C	A	C	A
B	A256	Anthus trivialis			r				C	DD	C	A	C	A
B	A228	Apus melba			r				C	DD	C	A	C	A
B	A091	Aquila chrysaetos			p				C	DD	C	A	C	A
B	A221	Asio otus			r				P	DD	C	A	C	A
I	1092	Austropotamobius pallipes			p				P	DD	D			
B	A104	Bonasa bonasia			p				C	DD	C	A	C	A
B	A215	Bubo bubo			p				P	DD	C	A	C	A
B	A087	Buteo buteo			r				R	DD	C	A	C	A

B	A224	Caprimulgus europaeus			p				R	DD	C	A	C	C
B	A366	Carduelis cannabina			r				C	DD	C	A	C	A
B	A264	Cinclus cinclus			r				C	DD	C	A	C	B
B	A113	Coturnix coturnix			r				R	DD	C	A	C	A
P	1902	Cypripedium calceolus			p				C	DD	C	B	C	B
B	A253	Delichon urbica			r				C	DD	C	A	C	A
B	A237	Dendrocopos major			p				C	DD	C	A	C	A
B	A236	Dryocopus martius			p				C	DD	C	A	C	A
B	A376	Emberiza citrinella			r				R	DD	C	A	C	A
I	6199	Euplagia quadripunctaria			p				P	DD	D			
B	A103	Falco peregrinus			p				V	DD	C	A	C	A
B	A096	Falco tinnunculus			p				C	DD	C	A	C	A
B	A217	Glaucidium passerinum			p				C	DD	C	A	C	A
B	A076	Gypaetus barbatus			c				V	DD	C	A	C	A
B	A408	Lagopus mutus helveticus			p				C	DD	C	A	C	A
B	A338	Lanius collurio			r				C	DD	C	A	C	C
B	A073	Milvus migrans			r				R	DD	D			
B	A280	Monticola saxatilis			r				V	DD	C	A	B	A
B	A358	Montifringilla nivalis			p				C	DD	C	A	C	A
B	A344	Nucifraga caryocatactes			p				C	DD	C	A	C	A
B	A277	Oenanthe oenanthe			r				C	DD	C	A	C	A
B	A214	Otus scops			r				R	DD	C	A	C	C
B	A072	Pernis apivorus			r				R	DD	C	A	C	C
B	A274	Phoenicurus phoenicurus			r				C	DD	C	A	C	A
B	A313	Phylloscopus bonelli			r				C	DD	C	A	B	A
B	A234	Picus canus			p				C	DD	C	A	C	A
B	A235	Picus viridis			p				R	DD	C	A	C	C
M	1304	Rhinolophus ferrumequinum			p				P	DD	C	A	B	A
M	1303	Rhinolophus hipposideros			p				P	DD	C	A	B	A
F	1107	Salmo marmoratus			p				C	DD	C	A	C	A
B	A275	Saxicola rubetra			r				C	DD	C	A	C	A
B	A362	Serinus citrinella			r				R	DD	C	A	A	A
B	A219	Strix aluco			p				R	DD	C	A	C	A
B	A310	Sylvia borin			r				V	DD	C	A	B	C
B	A308	Sylvia curruca			r				C	DD	C	A	C	A
B	A409	Tetrao tetrix tetrix			p				C	DD	C	A	C	A
B	A108	Tetrao urogallus			p				C	DD	C	A	C	A
B	A232	Upupa epops			r				V	DD	C	B	C	C
M	1354	Ursus arctos			p				V	DD	B	A	A	A

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Alopecurus aequalis						P						X
P		Alopecurus geniculatus						P						X
P		Anacamptis pyramidalis						P					X	
P		Androsace hausmannii						R						X
P		Anemone narcissiflora						R						X
R		Anguis fragilis						P					X	
P		Arabis nova						P						X
P		Arctostaphylos uva-ursi						P					X	
P		Arenaria multicaulis						R						X
P	1762	Arnica montana						P		X				
P	1764	Artemisia genipi						P		X				
P		Artemisia nitida						R						X
P		Asperugo procumbens						R						X
P		Asperula taurina						P						X
P		Asplenium lepidum						V						X
P		Asplenium seelosii						P						X
P		Astragalus depressus						R						X
P		Astragalus monspessulanus						P						X
P		Astragalus purpureus gremlii						P						X
A		Bufo bufo						C					X	
P		Callianthemum coriandrifolium						P						X
M		Capreolus capreolus						C					X	
P		Carduus						P						X

M	1330	Myotis mystacinus					P	X						
R		Natrix natrix					P						X	
M		Neomys fodiens					P						X	
P		Neottia nidus-avis					P						X	
P		Nigritella buschmanniae					R							X
P		Nigritella miniata					P						X	
P		Nigritella nigra					P						X	
P		Nigritella rhellicani					P						X	
P		Ononis rotundifolia					P							X
P		Ophrys insectifera					P						X	
P		Orchis militaris					P						X	
P		Orchis spitzelii					V						X	
P		Orchis tridentata					P						X	
P		Orchis ustulata					P						X	
P		Orobanche flava					R							X
P		Orobanche lucorum					R							X
F		Orthrias barbatulus					P				X			
I	1057	Parnassius apollo					P	X						
I	1056	Parnassius mnemosyne					P	X						
P		Pedicularis foliosa					R							X
F		Phoxinus phoxinus					C				X			
P	1749	Physoplexis comosa					P	X						
M	1309	Pipistrellus pipistrellus					C	X						
P		Platanthera bifolia					P						X	
P		Platanthera chlorantha					P						X	
M	1326	Plecotus auritus					P	X						
P		Poa cenisia					P							X
P		Poa hybrida					P							X
P		Poa remota					R				X			
R	1256	Podarcis muralis					P	X						
P		Potamogeton berchtoldii					R				X			
P		Potamogeton gramineus					P							X
P	1626	Primula spectabilis					C	X						
P		Pseudorchis albida					P						X	
P		Pulsatilla montana					P							X
A	1213	Rana temporaria					C				X			
P		Ranunculus					R							X

		parnassifolius												
P		Ranunculus trichophyllus subsp. lutulentus						P						X
P		Reseda lutea						P						X
P		Reseda luteola						P						X
P		Rhinanthus facchinii						P						X
M	1369	Rupicapra rupicapra						C		X				
A		Salamandra salamandra						C					X	
P		Salix foetida						R						X
F		Salmo (trutta) trutta						P			X			
F		Salvelinus alpinus						C			X			
P		Saussurea alpina						P						X
P		Saxifraga adscendens						R						X
P		Saxifraga burserana						R						X
M		Sciurus vulgaris						C			X			
P		Scutellaria alpina						R						X
P		Sesleria ovata						R						X
P		Silene conica						P						X
P		Sisymbrium austriacum						R						X
M		Sorex alpinus						C					X	
M		Sorex araneus						C					X	
M		Sorex minutus						C					X	
P		Taraxacum palustre Aggreg.						R						X
P		Thalictrum foetidum						R						X
P		Tozzia alpina						R						X
P		Traunsteinera globosa						P					X	
P		Trifolium dubium						P						X
B		Turdus torquatus (alpestris)						C					X	
P		Vaccaria hispanica						P						X
P		Valeriana salianca						R						X
P		Viola pinnata						R						X
P		Viola pyrenaica						P						X
R		Vipera aspis						P					X	
R		Vipera berus						P					X	
P		Viscum abietis						P						X
P		Woodsia pulchella						P						X
R		Zootoca vivipara						P			X			

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P =

Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N07	1.0
N23	1.0
N11	18.0
N09	1.0
N08	9.0
N06	1.0
N17	13.0
N10	2.0
N22	30.0
N16	24.0
Total Habitat Cover	100

Other Site Characteristics

Imponente gruppo montuoso calcareo-dolomitico del Trentino occidentale, solcato in tutti i lati da valli e valloni variamente orientati, talvolta molto ripidi, con foreste di caducifoglie (roverella, orniello e faggio) e di conifere (abete rosso, abete bianco e larice); in alta quota si trovano vaste mughete, pascoli alpini e vegetazione pioniera su pareti rocciose, ghiaioni e detriti calcarei mobili e fissi. Sono presenti habitat di particolare interesse non compresi nell'all.I della direttiva 92/43/CEE, in particolare: *Adenostylo glabrae* - *Abietetum* e *Cardamino pentaphyllo* - *Abietetum*. Habitat 6210 prioritario (stupenda fioritura di orchidee) presente nelle zone più marginali e termofile con copertura dello 0,1% . Particolarmente pregevole per aspetti di naturalità la Val di Tovel con l'inclusa area della malga Flavona.

4.2 Quality and importance

Si tratta di uno dei più maestosi gruppi montuosi dolomitici, con una flora molto ricca di specie endemiche e una vegetazione differenziata nelle singole vallate. Lo stato di conservazione dell'ambiente è ottimo alle quote elevate, ad eccezione di alcuni settori di recente urbanizzazione. Il sito è di rilevante interesse nazionale e/o provinciale per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi e per la presenza di grotte carsiche, estesi versanti boscati e corpi idrici di evidente rilevanza. Presenza di specie di invertebrati compresi nell'allegato II, fra cui specie prioritarie, indicatrici di boschi maturi di latifoglie in buone condizioni di naturalità e di corsi d'acqua ad elevata qualità biologica.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT04	100.0				

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Parco Naturale Adamello-Brenta
Address:	via Ponte Vittoria, 4 - 82180 Strembo (TN)
Email:	info@parcoadamellobrenta.tn.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 150 1:25000 Gauss-Boaga